

Fishery Bulletin Index

Volume 105(1–4), 2007

List of titles

105(1)

- 1 Temporal variation in growth of yellowfin tuna (*Thunnus albacares*) larvae in the Panama Bight, 1990-97, by Jeanne B. Wexler, Seinen Chow, Toshie Wakabayashi, Kenji Nohara, and Daniel Margulies
- 19 Annual fecundity, batch fecundity, and oocyte atresia of Atka mackerel (*Pleurogrammus monopterygius*) in Alaskan waters, by Susanne F. McDermott, Katherine P. Maslenikov, and Donald R. Gunderson
- 30 Modification of the biological intercept model to account for ontogenetic effects in laboratory-reared delta smelt (*Hypomesus transpacificus*), by James A. Hobbs, William A. Bennett, Jessica E. Burton, and Bradd Baskerville-Bridges
- 39 Relationship between abundance of juvenile rockfishes (*Sebastes* spp.) and environmental variables documented off northern California and potential mechanisms for the covariation, by Thomas E. Laidig, James R. Chess, and Daniel F. Howard
- 49 The potential use of time-area closures to reduce catches of bigeye tuna (*Thunnus obesus*) in the purse-seine fishery of the eastern Pacific Ocean, by Shelton J. Harley and Jenny M. Suter
- 62 Oceanic migration rates of Upper Chesapeake Bay striped bass (*Morone saxatilis*), determined by otolith microchemical analysis, by David H. Secor and Philip M. Piccoli
- 74 Ecotypic variation and predatory behavior among killer whales (*Orcinus orca*) off the eastern Aleutian Islands, Alaska, by Craig O. Matkin, Lance G. Barrett-Lennard, Harald Yurk, David Ellifrit, and Andrew W. Trites
- 88 Removing observational noise from fisheries-independent time series data using ARIMA models, by William T. Stockhausen and Michael Fogarty
- 102 Abundance and distribution of the eastern North Pacific Steller sea lion (*Eumetopias jubatus*) population, by Kenneth W. Pitcher, Peter F. Olesiuk, Robin F. Brown, Mark S. Lowry, Steven J. Jeffries, John L. Sease, Wayne L. Perryman, Charles E. Stinchcomb, and Lloyd F. Lowry
- 116 Precision estimates and suggested sample sizes for length-frequency data, by Hans D. Gerritsen and David McGrath
- 121 Early marine growth in relation to marine-stage survival rates for Alaska sockeye salmon (*Oncorhynchus nerka*), by Edward V. Farley Jr., James M. Murphy, Milo D. Adkison, Lisa B. Eisner, John H. Helle, Jamal H. Moss, and Jennifer Nielsen
- 131 Degeneration of postovulatory follicles in the Iberian sardine *Sardina pilchardus*: structural changes and factors affecting resorption, by Konstantinos Ganiias, Cristina Nunes, and Yorgos Stratoudakis
- 140 Use of genetic data to assess the uncertainty in stock assessments due to the assumed stock structure: the case of albacore (*Thunnus alalunga*) from the Atlantic Ocean, by Haritz Arrizabalaga, Victoria López-Rodas, Eduardo Costas, and Alberto González-Garcés
- 147 New information from fish diets on the importance of glassy flying squid (*Hyaloteuthis pelagica*) (Teuthoidea: Ommastrephidae) in the epipelagic cephalopod community of the tropical Atlantic Ocean, by Yves Cherel, Richard Sabatié, Michel Potier, Francis Marsac, and Frédéric Ménard
- 153 Measurements of total scattering spectra from bocaccio (*Sebastes paucispinis*), by Stéphane G. Conti, Benjamin D. Maurer, Mark A. Drawbridge, and David A. Demer

105(2)

- 161 Sensitivity of angler benefit estimates from a model of recreational demand to the definition of the substitute sites considered by the angler, by Brad Gentner
- 168 Multiscale habitat associations of deepwater demersal fishes off central California, by Tara J. Anderson and Mary M. Yoklavich
- 180 Use of endoparasitic helminths as tags in delineating stocks of American plaice (*Hippoglossoides platessoides*) from the southern Gulf of St. Lawrence and Cape Breton Shelf, by Gary McClelland and Jason Melendy
- 189 Implications of substrate complexity and kelp diversity for south-central Alaskan nearshore fish communities, by Judy Hamilton and Brenda Konar
- 197 Genetic variability in spotted seatrout (*Cynoscion nebulosus*), determined with microsatellite DNA markers, by Rocky Ward, Kevin Bowers, Rebecca Hensley, Brandon Mobley, and Ed Belouski

- 207** Review of the crevalle jacks, *Caranx hippos* complex (Teleostei: Carangidae), with a description of a new species from West Africa, by William F. Smith-Vaniz and Kent E. Carpenter
- 234** Diets of Steller sea lions (*Eumetopias jubatus*) in Southeast Alaska, 1993–1999, by Andrew W. Trites, Donald G. Calkins, and Arliss J. Winship
- 249** Spawning and early development of captive yellowfin tuna (*Thunnus albacares*), by Daniel Margulies, Jenny M. Suter, Sharon L. Hunt, Robert J. Olson, Vernon P. Scholey, Jeanne B. Wexler, and Akio Nakazawa
- 266** Re-estimation of small-scale fishery catches for U.S. flag-associated island areas in the western Pacific: the last 50 years, by Dirk Zeller, Shawn Booth, Gerald Davis, and Daniel Pauly
- 278** Whole-gear efficiency of a benthic survey trawl for flatfish, by David A. Somerton, Peter T. Munro, and Kenneth L. Weinberg
- 292** Yellow (*Perca flavescens*) and Eurasian (*P. fluviatilis*) perch distinguished in fried fish samples by DNA analysis, by Rex M. Strange and Carol A. Stepien
- 296** Natural mortality rate, annual fecundity, and maturity at length for Greenland halibut (*Reinhardtius hippoglossoides*) from the northeastern Pacific Ocean, by Daniel W. Cooper, Katherine P. Maslennikov, and Donald R. Gunderson
- 305** Validation of back-calculation equations for juvenile bluefish (*Pomatomus saltatrix*) with the use of tetracycline-marked otoliths, by Marja E. Roemer and Kenneth Oliveira
- 105(3)**
- 313** Diel variation in vertical distribution of an offshore ichthyoplankton community off the Oregon coast, by Toby D. Auth, Richard D. Brodeur, and Kathleen M. Fisher
- 327** Validation of a method for estimating realized annual fecundity in a multiple spawner, the long-snouted seahorse (*Hippocampus guttulatus*), using underwater visual census, by Janelle M. R. Curtis
- 337** Abundance, distribution, and habitat of leatherback turtles (*Dermochelys coriacea*) off California, 1990–2003, by Scott R. Benson, Karin A. Forney, James T. Harvey, James V. Carretta, and Peter H. Dutton
- 348** Comparison of survey methods for estimating abundance of harbor seals (*Phoca vitulina*) in glacial fjords, by John L. Bengtson, Alana V. Phillips, Elizabeth A. Mathews, and Michael A. Simpkins
- 356** Age and growth of swordfish (*Xiphias gladius*) caught by the Hawaii-based pelagic longline fishery, by Edward E. DeMartini, James H. Uchiyama, Robert L. Humphreys Jr., Jeffrey D. Sampaga, and Happy A. Williams
- 368** Systematics of the North American menhadens: molecular evolutionary reconstructions in the genus *Brevoortia* (Clupeiformes: Clupeidae), by Joel D. Anderson
- 379** Vertical movement patterns of skipjack tuna (*Katsuwonus pelamis*) in the eastern equatorial Pacific Ocean, as revealed with archival tags, by Kurt M. Schaefer and Daniel W. Fuller
- 390** Decline in condition of northern bluefin tuna (*Thunnus thynnus*) in the Gulf of Maine, by Walter J. Golet, Andrew B. Cooper, Robert Campbell, and Molly Lutcavage
- 396** Geographic and seasonal variations in maturation and growth of female Pacific cod (*Gadus macrocephalus*) in the Gulf of Alaska and Bering Sea, by James W. Stark
- 408** Interactions between marine mammals and pelagic longline fishing gear in the U.S. Atlantic Ocean between 1992 and 2004, by Lance P. Garrison
- 418** Changes in egg production of the western rock lobster (*Panulirus cygnus*) associated with appendage damage, by Roy Melville-Smith and Simon de Lestang
- 426** Diversity of estuarine movements of striped bass (*Morone saxatilis*): a synoptic examination of an estuarine system in southern New Jersey, by Kenneth W. Able and Thomas M. Grothues
- 436** Microsatellite multiplex panels for genetic studies of gray snapper (*Lutjanus griseus*) and lane snapper (*Lutjanus synagris*), by Mark A. Renshaw, Eric Saillant, Siya Lem, Philip Berry, and John R. Gold
- 440** Effect of towing speed on retention of zooplankton in bongo nets, by Joseph Kane and Jacquelyn L. Anderson
- 105(4)**
- 447** An allometric smoothing function to describe the relation between otolith and somatic growth over the lifespan of walleye pollock (*Theragra chalcogramma*), by Seiji Katakura, Hisatoshi Ikeda, Akira Nishimura, Tsuneo Nishiyama, and Yasunori Sakurai

- 457** Transitions in the morphological features, habitat use, and diet of young-of-the-year goosefish (*Lophius americanus*), by Kenneth W. Able, Peter J. Clarke, R. Christopher Chambers, and David A. Witting
- 470** Defining plausible migration rates based on historical tagging data: a Bayesian mark-recapture model applied to English sole (*Parophrys vetulus*), by Ian J. Stewart
- 485** Activity in the pallial nerve of knobbed (*Busycon carica*) and channeled (*Busycotypus canliculatum*) whelks recorded during exposure of the osphradium to odorant solutions, by Christopher Magel, Kirstin Wakefield, Nancy Targett, and Richard Brill
- 509** Abundance and population density of cetaceans in the California Current ecosystem, by Jay Barlow, and Karin A. Forney
- 527** Spillover of commercially valuable reef fishes from marine protected areas in Guam, Micronesia, by Mark H. Tupper
- 538** Species-specific effects of four preservative treatments on oocytes and ovarian material of Atlantic cod (*Gadus morhua*), haddock (*Melanogrammus aeglefinus*), and American plaice (*Hippoglossoides platessoides*), by Nikolai Klibansky and Francis Juanes
- 548** Diets of and trophic relationships among dominant marine nekton within the northern California Current ecosystem, by Todd W. Miller and Richard D. Brodeur
- 560** Timing and duration of mating and brooding periods of Atka mackerel (*Pleurogrammus monopterygius*) in the North Pacific Ocean, by Robert R. Lauth, Jared Guthridge, Dan Nichol, Scott W. McEntire, and Nicola Hillgruber
- 571** Description of embryonic development of Atka mackerel (*Pleurogrammus monopterygius*), by Robert R. Lauth and Deborah M. Blood
- 577** Using the empirical Bayes method to estimate and evaluate bycatch rates of seabirds from individual fishing vessels, by Daniel K. Kimura
- 582** No evidence of bias from fish behavior in the selectivity of size and sex of the protogynous red porgy (*Pagrus pagrus*, Sparidae) by hook-and-line gear, by Douglas A. DeVries