INDEX

Fishery Bulletin Vol. 79, 1-4

Acipenser transmontanus—see Sturgeon, white

ADAMS, GARY—see SPOTTE and ADAMS

"Age and growth of skipjack tuna, *Katsuwonus pelamis*, and yellowfin tuna, *Thunnus albacares*, as indicated by daily growth increments of sagittae," by James H. Uchiyama and Paul Struhsaker 151

Age determination
  sailfish
    morphological features of otoliths 360

AHRENHOLZ, DEAN W., "Recruitment and exploitation of Gulf menhaden, *Brevoortia patronus*" 325

AINLEY, DAVID G., ANTHONY R. DeGANGE, LINDA L. JONES, and RICHARD J. BEACH, "Mortality of seabirds in high-seas salmon gill nets" 800

AL-JUDAIMI, MANAL M., A. K. JAFRI, and K. A. GEORGE, "Proximate composition and nutritive value of some important food fishes from the Arabian Gulf" ... 211

Alaska, lower Cook Inlet
  crab, snow
    description of stage II zoeae from plankton 177

Alaska, northern
  gadids, marine
    trophic importance of, and their body-otolith size relationships 187

Alaska, western
  groundfish
    economic feasibility of domestic harvest 303

Albacore
  growth rates of North Pacific based on tag returns
    covariance analysis 297
    data screening 294
    extended model 299
    grouping of data 295
    growth models 295
    parameter estimation 296
    recovery procedures 294
    standard model 297
    tagging procedures 293

Alewife
  offshore distribution along the Atlantic coast
    commercial catches 481
    depth distribution 482
    seasonal distribution 476

Alewife, anadromous
  difference in sex ratios between the top and bottom of a fishway at Damariscotta Lake, Maine 207

Alopias superciliosus—see Thresher, bigeye

Alosa aestivalis—see Herring, blueback

Alosa pseudoharengus—see Alewife; Alewife, anadromous

AMES, JACK A.—see LOUGHLIN et al.

Amphiprion percula
  responses of northern anchovy to predation by 727

"(An) analysis of catch and effort data from the U.S. recreational fishery for billfishes (Istiophoridae) in the western North Atlantic Ocean and Gulf of Mexico, 1971-78," by Grant L. Beardsley and Ramon J. Conser 49

Anchovy, northern
  burst swimming performance of larvae 143
  feeding selectivity of schools in Southern California Bight
    comparison of feeding selectivity between cruises . 138
    comparison with other studies 140
    evaluation of field method 139
    school characteristics 133
    school feeding 134
  larvae, emaciated and robust
    histochemical indications of liver glycogen in samples 806
  responses to predation by *Amphiprion percula* 727
  spawning energetics of female
    annual fat cycle and spawning 223
    energy budget for female growth and reproduction 224
    energy cost of spawning 221
    spawning frequency and rate of egg maturation .. 218

ANDERSON, JAMES JAY, "A stochastic model for the size of fish schools" 315

ANDRYSZAK, BRYAN L., and ROBERT H. GORE, "The complete larval development in the laboratory of *Micropanope sculptipes* (Crustacea, Decapoda, Xanthidae) with a comparison of larval characters in western Atlantic xanthid genera" 487

Anglerfish
  osteology and relationships of genus *Tetrabrachium*
    comparative osteology of antennarioid families ... 397
    osteology 390
    phylogenetic relationships 412
    systematics 388

"Annual reproduction, dependency period, and apparent gestation period in two Californian sea otters, *Enhydra*

lutris," by Thomas R. Loughlin, Jack A. Ames, and Judson E. Vandevere 347

ANTONELIS, GEORGE A., JR., STEPHEN LEATHERWOOD, and DANIEL K. ODELL, "Population growth and censuses of the northern elephant seal, *Mirounga angustirostris*, on the California Channel Islands, 1958-78" 562

Arabian gulf
fishes, food
proximate composition and nutritive value 211

ARMSTRONG, DAVID A.—see STEVENS and ARMSTRONG

ARNOLD, C. R.—see HOLT et al.

"Assimilation efficiency and nitrogen excretion of a filter-feeding planktivore, the Atlantic menhaden, *Brevoortia tyrannus* (Pisces: Clupeidae)," by Edward G. Durbin and Ann G. Durbin 601

Atherinops affinis—see Topsmelt

Atlantic, northwest
food of 10 species of juvenile groundfish 200

Atlantic, western
crab, xanthid
Micropanope sculptipes, complete larval development in laboratory 487

Atlantic, western North
billfishes
analysis of catch and effort data from U.S. recreational fishery, 1971-78 49
hagfishes
description of two new species 69

Atlantic Bight, Middle
diel-depth distribution of summer ichthyoplankton .. 705

Atlantic coast
alewife
offshore distribution 473
herring, blueback
offshore distribution 473

Australia
tuna, skipjack
distribution and life history 85

BARKER, SETH L., DAVID W. TOWNSEND, and JOHN S. HACUNDA, "Mortalities of Atlantic herring, *Clupea h. harengus*, smooth flounder, *Liopsetta putnami*, and rainbow smelt, *Osmerus mordax*, larvae exposed to acute thermal shock" 198

BEACH, RICHARD J.—see AINLEY et al.

BEARDLSEY, GRANT L., and RAMON J. CONSER, "An analysis of catch and effort data from the U.S. recreational fishery for billfishes (Istiophoridae) in the western North Atlantic Ocean and Gulf of Mexico, 1971-78" 49

Bering Sea, eastern
new fishes 353

Billfishes
U.S. recreational fishery, 1971-78
catch model 59
data acquisition 52
fishing techniques 50
longline fishery 50
marlin, blue 60, 64
marlin, white 60, 64
methodology 53
sailfish 61, 65
sampling coverage 53
sampling problems 52
sampling program 51

BIRD, PATRICIA M., "The occurrence of *Cirolana borealis* (Isopoda) in the hearts of sharks from Atlantic coastal waters of Florida" 376

Bivalves
deep-burrowing infaunal
flushing-coring device for collecting in intertidal sand 383

BLACKBURN, MAURICE, and D. L. SERVENTY, "Observations on distribution and life history of skipjack tuna, *Katsuwonus pelamis*, in Australian waters" 85

BOEHLERT, GEORGE W., "The effects of photoperiod and temperature on laboratory growth of juvenile *Sebastes diploproa* and a comparison with growth in the field" 789

BOWMAN, RAY E., "Food of 10 species of northwest Atlantic juvenile groundfish" 200

BREGE, DEAN A., "Growth characteristics of young-of-the-year walleye, *Stizostedion vitreum vitreum*, in John Day Reservoir on the Columbia River, 1979" 567

Brevoortia patronus—see Menhaden, Gulf

Brevoortia tyrannus—see Menhaden, Atlantic

"Burst swimming performance of northern anchovy, *Engraulis mordax*, larvae," by P. W. Webb and R. T. Corolla 143

California
sea otters
annual reproduction, dependency period, and apparent gestation period 347

California, central
rockfish, olive
growth, reproduction, and food habits 533

California, southern
fishes
crepuscular and nocturnal activites 1

California Bight, Southern
anchovy, northern
feeding selectivity of schools 131

California Channel Islands
seal, northern elephant
population growth and censuses, 1958-78 562

Callinectes bocourti—see Crab, tropical swimming

Callorhinus ursinus—see Seal, northern fur

Cancer magister—see Crab, Dungeness

Carcharhinus plumbeus—see Shark, sandbar

CAREY, FRANCIS G., and BRUCE H. ROBISON, "Daily patterns in the activities of swordfish, *Xiphias gladius*, observed by acoustic telemetry" 277

"Carolinian records for American lobster, *Homarus americanus*, and tropical swimming crab, *Callinectes bocourti*. Postulated means of dispersal," by Austin B. Williams and David McN. Williams 192

CARRANZA, FRANCISCO—see STEVENSON and CARRANZA

"Cephalopods in the diet of the swordfish, *Xiphias gladius*, from the Florida Straits," by Ronald B. Toll and Steven C. Hess 765

CHANEY, ED—see WAHLE and CHANEY

Cheilotrema saturnum—see Croaker, black

CHESS, JAMES R.—see HOBSON et al.

Chinocoteague Bay, Virginia
shark, sandbar
feeding behavior and biology 441

Chionoecetes bairdi—see Crab, snow

CHITTENDEN, MARK E., JR.—see SHLOSSMAN and CHITTENDEN

Cirolana borealis
occurrence in shark hearts, Atlantic coastal waters of Florida
histopathology of shark heart 379
isopods in shark samples 379
sampling 378
shark pathology 379
water parameters 378

Citharichthys stigmaeus—see Sanddab, speckled

"Cleaning symbiosis between topsmelt, *Atherinops affinis*, and gray whale, *Eschrichtius robustus*, in Laguna San Ignacio, Baja California Sur, Mexico," by Steven L. Swartz 360

Clupea harengus harengus—see Herring, Atlantic

Cod, Atlantic
food of juvenile 202
Gulf of Maine
trophic relationships 775

COHEN, DANIEL M.—see YABE et al.

Columbia River
John Day Reservoir
walleye, growth characteristics of young-of-the-year, 1979 567
Wind River drainage
salmon, chinook, establishment of nonindigenous runs, 1955-63 507

Columbia River, mid-
sturgeon, white
diel and seasonal movements 367

COMPAGNO, L. J. V.—see GRUBER and COMPAGNO

"(The) complete larval development in the laboratory of *Micropanope sculptipes* (Crustacea, Decapoda, Xanthidae) with a comparison of larval characters in western Atlantic xanthid genera," by Bryan L. Andryszak and Robert H. Gore 487

CONSER, RAMON J.—see BEARDSLEY and CONSER

"Contribution to the life history of the deep-sea king crab, *Lithodes couesi*, in the Gulf of Alaska," by David A. Somerton 259

COROLLA, R. T.—see WEBB and COROLLA

"(A) correlation between annual catches of Dungeness crab, *Cancer magister*, along the west coast of North America and mean annual sunspot number," by Milton S. Love and William V. Westphal 794

Costa Rica
Pacific thread herring fishery
maximum yield estimates 689

Crab, deep-sea king
life history, in Gulf of Alaska
adaptations for life on the upper slope 265
depth distribution 261
egg size 265
fecundity 263
female reproductive condition 262
parasites 265
sex ratio 261
size distribution 261
size of maturity 263

Crab, Dungeness
impairment of chemosensory antennular flicking response by petroleum hydrocarbons
animal collection and maintenance 641
apparatus, experimental 642
hydrocarbon concentrations 643
impairment and recovery of chemosensory detection 643
procedures 642
solutions, experimental 642

statistical analysis 643
mass mortality of female on southern Washington coast 349
North America, west coast
correlation between annual catches and mean annual sunspot number 794

Crab, snow
description of stage II zoeae from plankton of lower Cook Inlet, Alaska
comparison of North Pacific zoeae of the subfamily Oregoniinae 180
key for distinguishing stage II zoeae 181

Crab, tropical swimming
Carolinian records for, postulated means of dispersal 192

"Crepuscular and nocturnal activities of Californian nearshore fishes, with consideration of their scotopic visual pigments and the photic environment," by Edmund S. Hobson, William N. McFarland, and James R. Chess 1

Croaker, black
seasonal spawning cycle 561

"Current knowledge of larvae of sculpins (Pisces: Cottidae and allies) in northeast Pacific genera with notes on intergeneric relationships," by Sally L. Richardson 103

Cynoscion arenarius—see Seatrout, sand

"Daily patterns in the activities of the swordfish, *Xiphias gladius*, observed by acoustic telemetry," by Francis G. Carey and Bruce H. Robison 277

Damariscotta Lake, Maine
alewife, anadromous
difference in sex ratios between the top and bottom of a fishway 207

DEAN, J. M.—see RADTKE and DEAN

DeGRANGE, ANTHONY R.—see AINLEY et al.

Delaware
marine fisheries
alewives 585
bass, striped 588
clam, hard 587
clam, surf 583
crab, blue 583
croaker 587
dredges, clam 596
dredges, crab 596
dredges, oyster 595
eel, American 589
food finfishes 579
food shellfishes 580
industrial 579
lines 593
menhaden 581
mullet 588
nets, fyke 597
nets, gill 590
nets, pound 595
oceanographic regime 581
oyster, American 584
perch, white 589
pots 592
rakes 597
recreational 580
seines, haul 592
seines, purse 590
shad 586
spot 587
sturgeon 586
trawl, otter 593
weakfish 585

DeMARTINI, E. E., and ROBERT K. FOUNTAIN, "Ovarian cycling frequency and batch fecundity in the queenfish, *Seriphus politus*: attributes representative of serial spawning fishes" 547

"Description of stage II zoeae of snow crab, *Chionoecetes bairdii* (Oxyrhyncha, Majidae) from plankton of lower Cook Inlet, Alaska," by Evan Haynes 177

"Development of larvae and juveniles of the rockfishes *Sebastes entomelas* and *S. zacentrus* (family Scorpaenidae) and occurrence off Oregon, with notes on head spines of *S. mystinus*, *S. flavidus*, and *S. melanops*," by Wayne A. Laroche and Sally L. Richardson 231

"Diel and seasonal movements of white sturgeon, *Acipenser transmontanus*, in the mid-Columbia River," by James M. Haynes and Robert H. Gray 367

"Diel-depth distribution of summer ichthyoplankton in the Middle Atlantic Bight," by Arthur W. Kendall, Jr. and N. A. Naplin 705

"Difference in sex ratios of the anadromous alewife, *Alosa pseudoharengus*, between the top and bottom of a fishway at Damariscotta Lake, Maine," by David A. Libby 207

DIZON, ANDREW E.—see GOODING et al.; KAYA et al.

Dolphin, Atlantic bottlenose
movements and activities near Sarasota, Florida
data collection and analysis 672
food resources and feeding behavior 684
home range 675
reproduction and growth 685
social interactions 681
social structure 679
study area 672

Drum, red
effects of temperature and salinity on egg hatching and larval survival 569

DURBIN, ANN G.—see DURBIN and DURBIN

DURBIN, EDWARD G., and ANN G. DURBIN, "Assimilation efficiency and nitrogen excretion of a filter-feeding planktivore, the Atlantic menhaden, *Brevoortia tyrannus* (Pisces: Clupeidae)" 601

"Early zoeal stages of *Lebbeus polaris*, *Eualus suckleyi*, *E. fabricii*, *Spirontocaris arcuata*, *S. ochotensis*, and *Heptacarpus camtschaticus* (Crustacea, Decapoda, Caridea, Hippolytidae) and morphological characterization of zoeae of *Spirontocaris* and related genera," by Evan Haynes 421

"Economic feasibility of domestic groundfish harvest from western Alaska waters: a comparison of vessel types, fishing strategies, and processor locations," by C. M. Lynde 303

"(The) effect of the bottom on the fast start of flatfish *Citharichthys stigmaeus*," by P. W. Webb 271

"Effects of photoperiod and feeding on daily growth patterns in otoliths of juvenile *Tilapia nilotica*," by Kuniaki Tanaka, Yasuo Mugiya, and Juro Yamada 459

"(The) effects of photoperiod and temperature on laboratory growth of juvenile *Sebastes diploproa* and a comparison with growth in the field," by George W. Boehlert .. 789

"Effects of swimming path curvature on the energetics of fish motion," by Daniel Weihs 171

"Effects of temperature and salinity on egg hatching and larval survival of red drum, *Sciaenops ocellata*," by Joan Holt, Robert Godbout, and C. R. Arnold 569

Embassichthys bathybius—see Sole, deepsea

Engraulis mordax—see Anchovy, northern

Enhydra lutris—see Otter, sea

ENNIS, G. P., "Fecundity of the American lobster, *Homarus americanus*, in Newfoundland waters" 796

Eschrichtius robustus—see Whale, gray

"Establishment of nonindigenous runs of spring chinook salmon, *Oncorhynchus tshawytscha*, in the Wind River drainage of the Columbia River, 1955-63," by Roy J. Wahle and Ed Chaney 507

"Estimated growth of surface-schooling skipjack tuna, *Katsuwonus pelamis*, and yellowfin tuna, *Thunnus albacares*, from the Papua New Guinea region," by J. W. J. Wankowski 517

Eualus fabricii
  description
    stage I and II zoeae 430

Eualus suckleyi
  decription
    stage I zoeae 426
    stage II zoeae 429

Eumetopias jubatus—see Sea lion, Steller

Euthynnus affinis—see Tuna

"Fecundity of the American lobster, *Homarus americanus*, in Newfoundland waters," by G. P. Ennis . 796

"Feeding behavior and biology of young sandbar sharks, *Carcharhinus plumbeus* (Pisces, Carcharhinidae), in Chincoteague Bay, Virginia," by Robert J. Medved and Joseph A. Marshall 441

"Feeding periodicity and diel variation in diet composition of subyearling coho salmon, *Oncorhynchus kisutch*, and steelhead, *Salmo gairdneri*, in a small stream during summer," by James H. Johnson and Emily Z. Johnson . 370

"Feeding rate of captive adult female northern fur seals, *Callorhinus ursinus*," by Stephen Spotte and Gary Adams 182

"Feeding selectivity of Dover sole, *Microstomus pacificus*, off Oregon," by Wendy L. Gabriel and William G. Pearcy 749

"Feeding selectivity of schools of northern anchovy, *Engraulis mordax*, in the Southern California Bight," by J. Anthony Koslow 131

FERNHOLM, BO, and CARL L. HUBBS, "Western Atlantic hagfishes of the genus *Eptatretus* (Myxinidae) with description of two new species" 69

Fish motion
  effects of swimming path curvature on energetics ... 171

Fish schools
  stochastic model for size of
    fitting model to data 318
    observations 316
    sensitivity analysis 319

Fishes
  new to eastern Bering Sea
    Kali indica 353
    Laemonema longipes 354
    Macropinna microstoma 354
    Percis japonicus 353

"Fishes new to the eastern Bering Sea," by Mamoru Yabe, Daniel M. Cohen, Kiyoshi Wakabayashi, and Tomio Iwamoto 353

Fishes, Californian nearshore
  crepuscular and nocturnal activities
    activity patterns 19
    day and night feeders 18
    day feeders 8
    determining activity patterns in fishes 3
    determining spectral composition of submarine sunlight 2
    determining spectral photosensitivity of fishes 3
    night feeders 15
    scotopic spectral sensitivity and ambient light 23
    scotopic spectral sensitivity and bioluminescence . 24
    submarine daylight 3
    submarine nightlight 5

Fishes, demersal
trophic relationships in Gulf of Maine
benthos analysis 783
dietary overlap 781
fish abundance 777
foods 777
prey size and predator mouth morphology 782

Fishes, food
Arabian Gulf
proximate composition and nutritive value 211

FLINT, R. WARREN, and NANCY N. RABALAIS, "Gulf of Mexico shrimp production: A food web hypothesis" .. 737

Florida
Atlantic coastal waters
occurrence of *Cirolana borealis* in shark hearts ... 376

Florida Straits
swordfish
cephalopods in the diet 765

Flounder, smooth
mortalities of larvae exposed to acute thermal shock 198

Flounder, winter
Gulf of Maine
trophic relationships 775

Flounder, yellowtail
food of juvenile 205
Gulf of Maine
trophic relationships 775

"(A) flushing-coring device for collecting deep-burrowing bivalves in intertidal sand," by Mark James Grussendorf 383

"Food of 10 species of northwest Atlantic juvenile groundfish," by Ray E. Bowman 200

FOUNTAIN, ROBERT K.—see DeMARTINI and FOUNTAIN

FROST, KATHRYN J., and LLOYD F. LOWRY, "Trophic importance of some marine gadids in northern Alaska and their body-otolith size relationships" 187

FRY, BRIAN, "Natural stable carbon isotope tag traces Texas shrimp migrations" 337

GABRIEL, WENDY L., and WILLIAM G. PEARCY, "Feeding selectivity of Dover sole, *Microstomus pacificus*, off Oregon" 749

Gadids, marine
Alaska, northern
trophic importance of, and their body-otolith size relationships 187

Gadus morhua—see Cod, Atlantic

GEORGE, K. A.—see AL-JUDAIMI et al.

Gill nets
salmon
mortality of seabirds in high-seas 800

GODBOUT, ROBERT—see HOLT et al.

GOLDBERG, STEPHEN R., "Seasonal spawning cycle of the black croaker, *Cheilotrema saturnum* (Sciaenidae)" 561

GOODING, REGINALD M., WILLIAM H. NEILL, and ANDREW E. DIZON, "Respiration rates and low-oxygen tolerance limits in skipjack tuna, *Katsuwonus pelamis*" 31

GORE, ROBERT H.—see ANDRYSZAK and GORE

GRAHAM, JOSEPH J.—see TOWNSEND and GRAHAM

GRAY, ROBERT H.—see HAYNES and GRAY

Groundfish
economic feasibility of domestic harvest from western Alaska waters
comparison of fishing strategies 309
comparison of vessel types 308
cost derivations and sources of estimates 313
delivering at sea versus delivering to port 307
economic model 304
fishing strategy 307
fuel price 307
processor location and mode of operation 306
sensitivity to changes in fuel price 309
vessel types 306
food of juvenile 200

"Growth, reproduction, and food habits of olive rockfish, *Sebastes serranoides*, off central California," by Milton S. Love and William V. Westphal 533

"Growth, and age structure of larval Atlantic herring, *Clupea harengus harengus*, in the Sheepscot River estuary, Maine, as determined by daily growth increments in otoliths," by David W. Townsend and Joseph J. Graham 123

"Growth characteristics of young-of-the-year walleye, *Stizostedion vitreum vitreum*, in John Day Reservoir on the Columbia River, 1979," by Dean A. Brege 567

Growth curves
method for comparisons 95

"Growth rates of North Pacific albacore, *Thunnus alalunga*, based on tag returns," by R. Michael Laurs and Jerry A. Weatherall 293

GRUBER, S. H., and L. J. V. COMPAGNO, "Taxonomic status and biology of the bigeye thresher, *Alopias superciliosus*" 617

GRUSSENDORF, MARK JAMES, "A flushing-coring device for collecting deep-burrowing infaunal bivalves in intertidal sand" 383

Gulf of Alaska
crab, deep-sea king
life history 259
sea lion, Steller
prey of 467

Gulf of California
schooling of scalloped hammerhead shark 356

Gulf of Maine
trophic relationships among demersal fishes 775

Gulf of Mexico
billfishes
analysis of catch and effort data from U.S. recreational fishery, 1971-78 49
shrimp production
food web hypothesis 737

"Gulf of Mexico shrimp production: A food web hypothesis," by R. Warren Flint and Nancy N. Rabalais 737

HACUNDA, JOHN S., "Trophic relationships among demersal fishes in a coastal area of the Gulf of Maine" . 775

HACUNDA, JOHN S.—see BARKER et al.

Haddock
food of juvenile 203

Hagfishes
Atlantic, western
Eptatretus minor 78
Eptatretus multidens 80
Eptatretus species A and B 76
Eptatretus species C 77
Eptatretus springeri 74
generic allocation 72
species key 73

Hake, red
food of juvenile 204
Gulf of Maine
trophic relationships 775

Hake, silver
food of juvenile 203

Hake, spotted
food of juvenile 204

Hake, white
food of juvenile 204

HAYNES, EVAN, "Description of stage II zoeae of snow crab, *Chionoecetes bairdii* (Oxyrhyncha, Majidae) from plankton of lower Cook Inlet, Alaska" 177

HAYNES, EVAN, "Early zoeal stages of *Lebbeus polaris*, *Eualus suckleyi*, *E. fabricii*, *Spirontocaris arcuata*, *S. ochotensis*, and *Heptacarpus camtschaticus* (Crustacea, Decapoda, Caridea, Hippolytidae) and morphological characterization of zoeae of *Spirontocaris* and related genera" 421

HAYNES, JAMES M., and ROBERT H. GRAY, "Diel and seasonal movements of white sturgeon, *Acipenser transmontanus*, in the mid-Columbia River" 367

HENDRIX, SHARON D.—see KAYA et al.

Heptacarpus camtschaticus
description
stage I zoeae 434

Herring, Atlantic
mortalities of larvae exposed to acute thermal shock 198
Sheepscot River estuary, Maine
growth and age structure of larval, as determined by daily growth increments in otoliths 123

Herring, blueback
offshore distribution along the Atlantic coast
commercial catches 481
depth distribution 482
seasonal distribution 476

Herring, thread
maximum yield estimates for Costa Rica fishery
catch and effort statistics estimation 692
management implications 701
model evaluation 699
unit stock definition 691
yield analyses 694

HESS, STEVEN C.—see TOLL and HESS

Hippolytidae
early zoeal stages
characterization of zoeae of *Spirontocaris* s.s. and related genera 438
comparison of zoeal stages with descriptions by other authors 435
description 422

"Histochemical indications of liver glycogen in samples of emaciated and robust larvae of the northern anchovy, *Engraulis mordax*," by Charles P. O'Connell and Pedro A. Paloma 806

HOBSON, EDMUND S., WILLIAM N. McFARLAND, and JAMES R. CHESS, "Crepuscular and nocturnal activities of Californian nearshore fishes, with consideration of their scotopic visual pigments and the photic environment" 1

HOLT, JOAN, ROBERT GODBOUT, and C. R. ARNOLD, "Effects of temperature and salinity on egg hatching and larval survival of red drum, *Sciaenops ocellata*" 569

Homarus americanus—see Lobster, American

HUBBS, CARL L.—see FERNHOLM and HUBBS

HUNTER, J. ROE, and RODERICK LEONG, "The spawning energetics of female northern anchovy, *Engraulis mordax*" 215

Ichthyoplankton, summer
diel-depth distribution in Middle Atlantic Bight
Auxis sp. 723
Citharichthys arctifrons 717
Etropus microstomus 723
Hippoglossina oblonga 720
Merluccius bilinearis 712
Peprilus triacanthus 720
Pisodonophis cruentifer 721
Pomatomus saltatrix 709
Urophycis spp. 720

"Impairment of the chemosensory antennular flicking response in the Dungeness crab, *Cancer magister*, by petroleum hydrocarbons," by Walter H. Pearson, Peter C. Sugarman, Dana L. Woodruff, and Bori L. Olla 641

"Induced spawning of a tuna, *Euthynnus affinis*," by Calvin M. Kaya, Andrew E. Dizon, and Sharon D. Hendrix 185

IRVINE, A. BLAIR, MICHAEL D. SCOTT, RANDALL S. WELLS, and JOHN H. KAUFMANN, "Movements and activities of the Atlantic bottlenose dolphin, *Tursiops truncatus*, near Sarasota, Florida" 671

Istiophorus platypterus—see Sailfish

IWAMOTO, TOMIO—see YABE et al.

JAFRI, A. K.—see AL-JUDAIMI et al.

JOHNSON, EMILY Z.—see JOHNSON and JOHNSON

JOHNSON, JAMES H., and EMILY Z. JOHNSON, "Feeding periodicity and diel variation in diet composition of subyearling coho salmon, *Oncorhynchus kisutch*, and steelhead, *Salmo gairdneri*, in a small stream during summer" 370

JONES, LINDA L.—see AINLEY et al.

KAPPENMAN, RUSSELL F., "A method for growth curve comparisons" 95

Katsuwonus pelamis—see Tuna, skipjack

KAUFMANN, JOHN H.—see IRVINE et al.

KAYA, CALVIN M., ANDREW E. DIZON, and SHARON D. HENDRIX, "Induced spawning of a tuna, *Euthynnus affinis*" 185

KENDALL, ARTHUR W., JR., and N. A. NAPLIN, "Diel-depth distribution of summer ichthyoplankton in the Middle Atlantic Bight" 705

KLIMLEY, A. PETER, and DONALD R. NELSON, "Schooling of the scalloped hammerhead shark, *Sphyrna lewini*, in the Gulf of California" 356

KOSLOW, J. ANTHONY, "Feeding selectivity of schools of northern anchovy, *Engraulis mordax*, in the Southern California Bight" 131

Laguna San Ignacio
Baja California Sur, Mexico
cleaning symbiosis between topsmelt and gray whale 360

LAROCHE, WAYNE A., and SALLY L. RICHARDSON, "Development of larvae and juveniles of the rockfishes *Sebastes entomelas* and *S. zacentrus* (family Scorpaenidae) and occurrence off Oregon, with notes on head spines of *S. mystinus*, *S. flavidus*, and *S. melanops*" ... 231

LAURS, R. MICHAEL, and JERRY A. WEATHERALL, "Growth rates of North Pacific albacore, *Thunnus alalunga*, based on tag returns" 293

LEATHERWOOD, STEPHEN—see ANTONELIS et al.

Lebbeus polaris
description
stage I zoeae 422
stage II zoeae 425

LEONG, RODERICK—see HUNTER and LEONG

LIBBY, DAVID A., "Difference in sex ratios of the anadromous alewife, *Alosa pseudoharengus*, between the top and bottom of a fishway at Damariscotta Lake, Maine" 207

Limanda ferruginea—see Flounder, yellowtail

Liopsetta putnami—see Flounder, smooth

Lithodes couesi—see Crab, deep-sea king

Lobster, American
Carolinian records for, postulated means of dispersal 192
fecundity in Newfoundland waters 796

LOUGHLIN, THOMAS R., JACK A. AMES, and JUDSON E. VANDEVERE, "Annual reproduction, dependency period, and apparent gestation period in two Californian sea otters, *Enhydra lutris*" 347

LOVE, MILTON S., and WILLIAM V. WESTPHAL, "A correlation between annual catches of Dungeness crab, *Cancer magister*, along the west coast of North America and mean annual sunspot number" 794

LOVE, MILTON S., and WILLIAM V. WESTPHAL, "Growth, reproduction, and food habits of olive rockfish, *Sebastes serranoides*, off central California" 533

LOWRY, LLOYD F.—see FROST and LOWRY

LYNDE, C. M., "Economic feasibility of domestic groundfish harvest from western Alaska waters: a comparison of vessel types, fishing strategies, and processor locations" 303

McCLEOD, GUY C.—see ROBINSON et al.

McFARLAND, WILLIAM N.—see HOBSON et al.

McHUGH, J. L., "Marine fisheries of Delaware" 575

Macrozoarces americanus—see Pout, ocean

"Marine fisheries of Delaware," by J. L. McHugh 575

Marine fisheries—see Delaware

MARSHALL, JOSEPH A.—see MEDVED and MARSHALL

"Mass mortality of female Dungeness crab, *Cancer magister*, on the southern Washington coast," by Bradley G. Stevens and David A. Armstrong 349

"Maximum yield estimates for the Pacific thread herring, *Opisthonema* spp., fishery in Costa Rica," by David K. Stevenson and Francisco Carranza 689

MEDVED, ROBERT J., and JOSEPH A. MARSHALL, "Feeding behavior and biology of young sandbar sharks, *Carcharhinus plumbeus* (Pisces, Carcharhinidae), in Chincoteague Bay, Virginia" 441

Menhaden, Atlantic
  assimilation efficiency and nitrogen excretion 601

Menhaden, Gulf
  recruitment and exploitation
    area-specific and age-specific exploitation rates ... 333
    mortality rate estimation from adult tag recoveries 329
    movement and recruitment of juvenile tagged fish 326
    tagging methodology 325

"(A) method for growth curve comparisons," by Russell F. Kappenman 95

Micropanope sculptipes
  complete larval development in laboratory
    comparative morphology with other xanthid larvae 499
    first zoea 490
    fourth zoea 494
    megalopa 497
    plesiomorphy and larval development 503
    second zoea 492
    status of *Micropanope* in Family Xanthidae 505
    third zoea 494

Microstomus pacificus—see Sole, Dover

Mirounga angustirostris—see Seal, northern elephant

"Morphological features of the otoliths of the sailfish, *Istiophorus platypterus*, useful in age determination," by Richard L. Radtke and J. M. Dean 360

MORSE, M. PATRICIA—see ROBINSON et al.

"Mortalities of Atlantic herring, *Clupea h. harengus*, smooth flounder, *Liopsetta putnami*, and rainbow smelt, *Osmerus mordax*, larvae exposed to acute thermal shock," by Seth L. Barker, David W. Townsend, and John S. Hacunda 198

"Mortality of seabirds in high-seas salmon gill nets," by David G. Ainley, Anthony R. DeGange, Linda L. Jones, and Richard J. Beach 800

"Movements and activities of the Atlantic bottlenose dolphin, *Tursiops truncatus*, near Sarasota, Florida," by A. Blair Irvine, Michael D. Scott, Randall S. Wells, and John H. Kaufmann 671

MUGIYA, YASUO—see TANAKA et al.

Myoxocephalus octodecemspinosus—see Sculpin, longhorn

NAPLIN, N. A.—see KENDALL and NAPLIN

"Natural stable carbon isotope tag traces Texas shrimp migrations," by Brian Fry 337

NEILL, WILLIAM H.—see GOODING et al.

NELSON, DONALD R.—see KLIMLEY and NELSON

NEVES, RICHARD J., "Offshore distribution of alewife, *Alosa pseudoharengus*, and blueback herring, *Alosa aestivalis*, along the Atlantic coast" 473

Newfoundland
  fecundity of American lobster in waters 796

North America, west coast
  crab, Dungeness
    correlation between annual catches and mean annual sunspot number 794

"Observations on distribution and life history of skipjack tuna, *Katsuwonus pelamis*, in Australian waters," by Maurice Blackburn and D. L. Serventy 85

"(The) occurrence of *Cirolana borealis* (Isopoda) in the hearts of sharks from Atlantic coastal waters of Florida," by Patricia M. Bird 376

O'CONNELL, CHARLES P., and PEDRO A. PALOMA, "Histochemical indications of liver glycogen in samples of emaciated and robust larvae of the northern anchovy, *Engraulis mordax*" 806

ODELL, DANIEL K.—see ANTONELIS et al.

"Offshore distribution of alewife, *Alosa pseudoharengus*, and blueback herring, *Alosa aestivalis*, along the Atlantic coast," by Richard J. Neves 473

OLLA, BORI L.—see PEARSON et al.

Oncorhynchus kisutch—see Salmon, coho

Oncorhynchus tshawytscha—see Salmon, chinook

Opisthonema spp.—see Herring, thread

Oregon
  rockfish
    development of larvae and juveniles off 231

  sole, Dover
    feeding selectivity 749

Osmerus mordax—see Smelt, rainbow

"(The) osteology and relationships of the anglerfish genus *Tetrabrachium* with comments on lophiiform classification," by Theodore W. Pietsch 387

Otoliths
sailfish
morphological features useful in age determination 360

Otter, sea
annual reproduction, dependency period, and apparent gestation period in two Californian 347

"Ovarian cycling frequency and batch fecundity of the queenfish, *Seriphus politus*: attributes representative of serial spawning fishes," by E. E. DeMartini and Robert K. Fountain 547

Pacific, northeast
sculpin larvae
current knowledge with notes on intergeneric relationships 103

PALOMA, PEDRO A.—see O'CONNELL and PALOMA

Papua New Guinea
skipjack tuna
estimated growth of surface-schooling 517
yellowfin tuna
estimated growth of surface-schooling 517

PEARCY, WILLIAM G.—see GABRIEL and PEARCY

PEARSON, WALTER H., PETER H. SUGARMAN, DANA L. WOODRUFF, and BORI L. OLLA, "Impairment of the chemosensory antennular flicking response in the Dungeness crab, *Cancer magister*, by petroleum hydrocarbons" 641

"Pelagic eggs and larvae of the deepsea sole, *Embassichthys bathybius* (Pisces: Pleuronectidae), with comments on generic affinities," by Sally L. Richardson ... 163

Penaeus aztecus—see Shrimp, brown

PIETSCH, THEODORE W., "The osteology and relationships of the anglerfish genus *Tetrabrachium* with comments on lophiiform classification" 387

PITCHER, KENNETH W., "Prey of the Steller sea lion, *Eumetopias jubatus*, in the Gulf of Alaska" 467

Placopecten magellanicus—see Scallop, deep-sea

Plaice, American
food of juvenile 204

Pollock
food of juvenile 203

"Population growth and censuses of the northern elephant seal, *Mirounga angustirostris*, on the California Channel Islands, 1958-78," by George A. Antonelis, Jr., Stephen Leatherwood, and Daniel K. Odell 562

Pout, ocean
Gulf of Maine
trophic relationships 775

"Prey of the Steller sea lion, *Eumetopias jubatus*, in the Gulf of Alaska," by Kenneth W. Pitcher 467

"Proximate composition and nutritive value of some important food fishes from the Arabian Gulf," by Manal M. Al-Judaimi, A. K. Jafri, and K. A. George 211

Pseudopleuronectes americanus—see Flounder, winter

Queenfish
ovarian cycling frequency and batch fecundity
analysis of fish and ovaries 548
annual egg production 554
batch fecundity 551
body size and time of spawning 549
egg production and fish body size 556
egg size 555
field sampling 547
ovarian cycling 550
production cycles, timing of reproduction, and egg size 557
relative fecundity 554
residual ova 554
sex ratio 551
size at sexual maturity 555
spawning frequency and annual fecundity 557
spawning season and gonad maturation 549
temporal patterns of spawning 556

RABALAIS, NANCY N.—see FLINT and RABALAIS

RADTKE, RICHARD L., and J. M. DEAN, "Morphological features of the otoliths of the sailfish, *Istiophorus platypterus*, useful in age determination" 360

Raja erinacea—see Skate, little

"Recruitment and exploitation of Gulf menhaden, *Brevoortia patronus*," by Dean W. Ahrenholz 325

"Reproduction, movements, and population dynamics of the sand seatrout, *Cynoscion arenarius*," by Philip A. Shlossman and Mark E. Chittenden, Jr. 649

"Respiration rates and low-oxygen tolerance limits in skipjack tuna, *Katsuwonus pelamis*," by Reginald M. Gooding, William H. Neill, and Andrew E. Dizon 31

"Responses of northern anchovy, *Engraulis mordax*, larvae to predation by a biting planktivore, *Amphiprion percula*," by P. W. Webb 727

RICHARDSON, SALLY L., "Current knowledge of larvae of sculpins (Pisces: Cottidae and allies) in northeast Pacific genera with notes on intergeneric relationships" 103

RICHARDSON, SALLY L., "Pelagic eggs and larvae of the deepsea sole, *Embassichthy bathybius* (Pisces: Pleuronectidae), with comments on generic affinities" . 163

RICHARDSON, SALLY L.—see LAROCHE and RICHARDSON

ROBINSON, WILLIAM E., WILLIAM E. WEHLING, M. PATRICIA MORSE, and GUY C. McLEOD, "Seasonal changes in soft-body component indices and energy reserves in the Atlantic deep-sea scallop, *Placopecten magellanicus*" 449

ROBISON, BRUCE H.—see CAREY and ROBISON

Rockfish, olive
growth, reproduction, and food habits, off central California
age and growth 535
age determination 534
food habits 535, 542
juveniles 541
length-weight relationshps 537
maturation and reproduction 534, 537

Rockfish, sharpchin
development of larvae and juveniles off Oregon
distinguishing features 247
fin development 249
general development 248
identification 244
literature 243
morphology 249
occurrence 253
pigmentation 251
scale formation 251
spination 249

Rockfish, splitnose
effects of photoperiod and temperature on laboratory growth of juvenile 789

Rockfish, widow
development of larvae and juveniles off Oregon
distinguishing features 235
fin development 238
general development 235
identification 233
literature 233
morphology 236
occurrence 242
pigmentation 240
scale formation 239
spination 239

Rockling, fourbeard
food of juvenile 204

Sagittae
daily growth increments indicate age and growth
skipjack tuna 151
yellowfin tuna 151

Sailfish
morphological features of otoliths useful in age determination 360

Salmo gairdneri—see Steelhead

Salmon, chinook
establishment of nonindigenous runs in Wind River drainage of Columbia River, 1955-63
adult trapping and hauling 510
catch contribution 513
hatchery operations 511
hatchery returns-juvenile releases 512
Shipperd Falls counts 512
Shipperd Falls fishway 509
spawning ground surveys 513
Wind River spring chinook salmon transfers 514

Salmon, coho
feeding periodicity and diel variation in diet composition in small stream during summer 370

Sampler, flushing-coring
collect deep-burrowing infaunal bivalves in intertidal sand 383

Sanddab, speckled
effect of bottom on fast start
fast-start performance 273
kinematics 272

Sarasota, Florida
dolphin, Atlantic bottlenose, movements and activities 671

Scallop, deep-sea
seasonal changes in soft-body component indices and energy reserves
biochemical analysis of tissues 451
body component indices 450, 452
dry weight and biochemical analyses 453
gametogenic cycle 451
histochemical localization of energy reserves 453
histological and histochemical monitoring 450
standard scallop 451

"Schooling of the scalloped hammerhead shark, *Sphyrna lewini*, in the Gulf of California," by A. Peter Klimley and Donald R. Nelson 356

Sciaenops ocellata—see Drum, red

Scopthalmus aquosus—see Windowpane

SCOTT, MICHAEL D.—see IRVINE et al.

Sculpin, longhorn
Gulf of Maine
trophic relationships 775

Sculpins
current knowledge of larvae in northeast Pacific
larval characters 105
larval groups 106
ungrouped genera 113

Sea lion, Steller
prey of, in the Gulf of Alaska 467

Seabirds
mortality in high-seas salmon gill nets
entanglement rates 804

overall mortality 804
species observed 802

Seal, northern elephant
population growth and censuses, on the California Channel Islands, 1958-78 562

Seal, northern fur
feeding rate of captive adult female 182

"Seasonal changes in soft-body component indices and energy reserves in the Atlantic deep-sea scallop, *Placopecten magellanicus*," by William E. Robinson, William E. Wehling, M. Patricia Morse, and Guy C. McLeod 449

"Seasonal spawning cycle of the black croaker, *Cheilotrema saturnum* (Sciaenidae)," by Stephen R. Goldberg 561

Seatrout, sand
reproduction, movements, and population dynamics
age determination using scales 660
growth and age determination by length frequency 658
maturation and spawning periodicity 650
maximum size, lifespan, and mortality 662
nurseries and later movements 657
spawning areas, early nurseries, and movements . 655
total weight-, girth-, and standard length-total length relations 664

Sebastes diploproa—see Rockfish, splitnose

Sebastes entomelas—see Rockfish, widow

Sebastes flavidus
head spine notes, off Oregon 254

Sebastes melanops
head spine notes, off Oregon 254

Sebastes mystinus
head spine notes, off Oregon 254

Sebastes serranoides—see Rockfish, olive

Sebastes zacentrus—see Rockfish, sharpchin

Seriphus politus—see Queenfish

SERVENTY, D. L.—see BLACKBURN and SERVENTY

Shark, sandbar
feeding behavior and biology of, in Chincoteague Bay, Virginia 441

Shark, scalloped hammerhead
schooling in Gulf of California 356

Shark, thresher—see Thresher, bigeye

Sharks
Atlantic coastal waters of Florida
occurrence of *Cirolana borealis* in hearts 376

Sheepscot River estuary, Maine
herring, Atlantic
growth and age structure of larval, as determined by daily growth increments in otoliths 123

SHLOSSMAN, PHILIP A., and MARK E. CHITTENDEN, JR., "Reproduction, movements, and population dynamics of the sand seatrout, *Cynoscion arenarius*" .. 649

Shrimp, brown
natural stable carbon isotope tag traces Texas migrations
bay migrations 344
bay shrimp 339
offshore migrations 343
offshore samples 341
seasonality 341, 342
size and bay brown shrimp $\delta^{13}C$ 339

Shrimp production
Gulf of Mexico
food web hypothesis 737

Skate, little
Gulf of Maine
trophic relationships 775

Smelt, rainbow
mortalities of larvae exposed to acute thermal shock 198

Sole, deepsea
pelagic eggs and larvae
comparison 166
description 164
identification 164
occurrence 166

Sole, Dover
feeding selectivity off Oregon
diet changes with predator length 753
feeding habits 752
prey abundance patterns 759

SOMERTON, DAVID A., "Contribution to the life history of the deep-sea king crab, *Lithodes couesi*, in the Gulf of Alaska" 259

"(The) spawning energetics of female northern anchovy, *Engraulis mordax*," by J. Roe Hunter and Roderick Leong 215

Sphyrna lewini—see Shark, scalloped hammerhead

Spirontocaris arcuata
description
stage I zoeae 431

Spirontocaris ochotensis
description
stage I zoeae 433

SPOTTE, STEPHEN, and GARY ADAMS, "Feeding rate of captive adult female northern fur seals, *Callorhinus ursinus*" 182

Steelhead
feeding periodicity and diel variation in diet composition in small stream during summer 370

STEVENS, BRADLEY G., and DAVID A. ARMSTRONG, "Mass mortality of female Dungeness crab, *Cancer magister*, on the southern Washington coast" .. 349

STEVENSON, DAVID K., and FRANCISCO CARRANZA, "Maximum yield estimates for the Pacific thread herring, *Opisthonema* spp., fishery in Costa Rica" 689

Stizostedion vitreum vitreum—see Walleye

"(A) stochastic model for the size of fish schools," by James Jay Anderson 315

STRUHSAKER, PAUL—see UCHIYAMA and STRUHSAKER

Sturgeon, white
diel and seasonal movements in mid-Columbia River 367

SUGARMAN, PETER C.—see PEARSON et al.

SWARTZ, STEVEN L., "Cleaning symbiosis between topsmelt, *Atherinops affinis*, and gray whale, *Eschrichtius robustus*, in Laguna San Ignacio, Baja California Sur, Mexico" 360

Swordfish
daily patterns in activities, observed by acoustic telemetry
buoyancy 290
horizontal movements 284
navigation 279
oxygen 289
receiving 279
temperature 279, 290
transmitters 278
vertical movements and light 287
Florida Straits
cephalopods in the diet 765

TANAKA, KUNIAKI, YASUO MUGIYA, and JURO YAMADA, "Effects of photoperiod and feeding on daily growth patterns in otoliths of juvenile *Tilapia nilotica*" 459

"Taxonomic status and biology of the bigeye thresher, *Alopias superciliosus*," by S. H. Gruber and L. J. V. Compagno 617

Tetrabrachium—see Anglerfish

Thresher, bigeye
taxonomic status and biology
abundance, distribution, and habitat 632
age and growth 630
characters, distinctive 619
color 624
commercial importance 636
denticles 627
dentition 625
food 635
notes, descriptive 623
parasitology 636
prey catching 635
reproduction 633
size 628
status of *Alopias profundus* 621
studies, experimental 635
vertebrae 624

Thunnus alalunga—see Albacore

Thunnus albacares—see Tuna, yellowfin

Tilapia nilotica
otoliths, effects of photoperiod and feeding on daily growth patterns of juvenile
correlation between number of otolith rings and age in days after hatching 462
experiments under 24-h photoperiod 460
feeding experiments 460
feeding time and formation of otolith rings 463
formation of otolith rings under 12L-12D photoperiod 462
formation of otolith rings under 18L-6D and 6L-18D photoperiods 463
measurement of daily rowth rhythm 460
otolith preparation for scanning electron microscopy 460

TOLL, RONALD B., and STEVEN C. HESS, "Cephalopods in the diet of the swordfish, *Xiphias gladius*, from the Florida Straits" 765

Topsmelt
Laguna San Ignacio, Baja California Sur, Mexico
cleaning symbiosis between, and gray whale 360

TOWNSEND, DAVID W., and JOSEPH J. GRAHAM, "Growth and age structure of larval Atlantic herring, *Clupea harengus harengus*, in the Sheepscot River estuary, Maine, as determined by daily growth increments in otoliths" 123

TOWNSEND, DAVID W.—see BARKER et al.

"Trophic importance of some marine gadids in northern Alaska and their body-otolith size relationships," by Kathryn J. Frost and Lloyd F. Lowry 187

"Trophic relationships among demersal fishes in a coastal area of the Gulf of Maine," by John S. Hacunda 775

Tursiops truncatus—see Dolphin, Atlantic bottlenose

Tuna
induced spawning 185

Tuna, shipjack
age and growth as indicated by daily growth increments of sagittae 151
distribution and life history in Australian waters
food 92
length 89
seasonal distribution 88
sexual condition 91
spatial distribution 86

weight 89
estimated growth of surface-schooling, from the Papua New Guinea region
estimated length-at-age 526
recruitment and exploited size range 521
stock movements 525
respiration rates and low-oxygen tolerance limits
activity-related metabolism 41
angular acceleration and excess body temperature 45
interrelation of metabolic rate, swimming speed, and body weight 43
low-oxygen resistance 45
low-oxygen tolerance 36, 39
oxygen consumption 35, 38
oxygen uptake experiments 32, 37
source and preexperimental treatment of fish 32
"standard" metabolism 41
terminology relevant to tuna metabolism 40

Tuna, yellowfin
age and growth as indicated by daily growth increments of sagittae 151
estimated growth of surface-schooling, from the Papua New Guinea region
estimated length-at-age 526
recruitment and exploited size range 521
stock movements 525

UCHIYAMA, JAMES H., and PAUL STRUHSAKER, "Age and growth of skipjack tuna, *Katsuwonus pelamis*, and yellowfin tuna, *Thunnus albacares*, as indicated by daily growth increments of sagittae" 151

Urophycis chuss—see Hake, red

VANDEVERE, JUDSON E.—see LOUGHLIN et al.

WAHLE, ROY J., and ED CHANEY, "Establishment of nonindigenous runs of spring chinook salmon, *Oncorhynchus tshawytscha*, in the Wind River drainage of the Columbia River, 1955-63" 507

WAKABAYASHI, KIYOSHI—see YABE et al.

Walleye
young-of-the-year growth characteristics in John Day Reservoir on the Columbia River, 1979 567

WANKOWSKI, J. W. J., "Estimated growth of surface-schooling skipjack tuna, *Katsuwonus pelamis*, and yellowfin tuna, *Thunnus albacares*, from the Papua New Guinea region" 517

Washington
southern coast
mass mortality of female Dungeness crab 349

WEATHERALL, JERRY A.—see LAURS and WEATHERALL

WEBB, P. W., "Responses of northern anchovy, *Engraulis mordax*, larvae to predation by a biting planktivore, *Amphiprion percula*" 727

WEBB, P. W., "The effect of the bottom on the fast start of flatfish *Citharichthys stigmaeus*" 271

WEBB, P. W., and R. T. COROLLA, "Burst swimming performance of northern anchovy, *Engraulis mordax*, larvae" 143

WEIHS, DANIEL, "Effects of swimming path curvature on the energetics of fish motion" 171

WEHLING, WILLIAM E.—see ROBINSON et al.

WELLS, RANDALL S.—see IRVINE et al.

"Western Atlantic hagfishes of the genus *Eptatretus* (Myxinidae) with description of two new species," by Bo Fernholm and Carl L. Hubbs 69

WESTPHAL, WILLIAM V.—see LOVE and WESTPHAL

Whale, gray
Laguna San Ignacio, Baja California Sur, Mexico
cleaning symbiosis between, and topsmelt 360

WILLIAMS, AUSTIN B., and DAVID McN. WILLIAMS, "Carolinian records for American lobster, *Homarus americanus*, and tropical swimming crab, *Callinectes bocourti*. Postulated means of dispersal" 192

WILLIAMS, DAVID McN.—see WILLIAMS and WILLIAMS

Windowpane
Gulf of Maine
trophic relationships 775

WOODRUFF, DANA L.—see PEARSON et al.

Xiphias gladius—see Swordfish

YABE, MAMORU, DANIEL M. COHEN, KIYOSHI WAKABAYASHI, and TOMIO IWAMOTO, "Fishes new to the eastern Bering Sea" 353

YAMADA, JURO—see TANAKA et al.