

Fishery Bulletin Index

Volume 91 (1-4), 1993

List of Titles

91(1)

- 1 Comparisons of spiny lobster *Panulirus marginatus* fecundity, egg size, and spawning frequency before and after exploitation, by Edward E. DeMartini, Denise M. Ellis, and Victor A. Honda
- 8 Spawning time, growth, and recruitment of larval spot *Leiostomus xanthurus* into a North Carolina estuary, by César Flores-Coto and Stanley M. Warlen
- 23 Temperature effects on spontaneous behavior of larval and juvenile red drum *Sciaenops ocellatus*, and implications for foraging, by Lee A. Fuiman and David R. Ottey
- 36 Abundance patterns of marine fish larvae during spring in a southeastern Alaskan Bay, by Lewis Haldorson, Marc Pritchett, David Sterritt, and John Watts
- 45 Age, growth, and reproduction of tautog *Tautoga onitis* (Labridae: Perciformes) from coastal waters of Virginia, by E. Brian Hostetter and Thomas A. Munroe
- 65 Early growth, behavior, and otolith development of the winter flounder *Pleuronectes americanus*, by Ambrose Jearld Jr., Sherry L. Sass, and Melinda F. Davis
- 76 Larval development of three roughy species complexes (Pisces: Trachichthyidae) from southern Australian waters, with comments on the occurrence of orange roughy *Hoplostethus atlanticus*, by Alan R. Jordan and Barry D. Bruce
- 87 Distribution and abundance of rockfish determined from a submersible and by bottom trawling, by Kenneth J. Krieger
- 97 Ontogenetic shift in the diet of young-of-year bluefish *Pomatomus saltatrix* during the oceanic phase of the early life history, by Rick E. Marks and David O. Conover
- 107 Trawl survey estimation using a comparative approach based on lognormal theory, by Robert A. McConaughey and Loveday L. Conquest
- 119 A comparison of early-life-history traits in Atlantic menhaden *Brevoortia tyrannus* and gulf menhaden *B. patronus*, by Allyn B. Powell
- 129 Loss of shrimp by turtle excluder devices (TEDs) in coastal waters of the United States, North Carolina to Texas: March 1988-August 1990, by Maurice Renaud, Gregg Gitschlag, Edward Klima, Arvind Shah, Dennis Koi, and James Nance

- 138 Food habits of the sandbar shark *Carcharhinus plumbeus* off the U.S. northeast coast, with estimates of daily ration, by Charles E. Stillwell and Nancy E. Kohler

- 151 Spatial and temporal occurrence of Spanish mackerel *Scomberomorus maculatus* in Chesapeake Bay, by Mark E. Chittenden Jr., Luiz R. Barbieri, and Cynthia M. Jones

- 159 Uncoupling of otolith and somatic growth in *Pagrus auratus* (Sparidae), by Malcolm P. Francis, Maryann W. Williams, Andrea C. Pryce, Susan Pollard, and Stephen G. Scott

- 165 A new method of oocyte separation and preservation for fish reproduction studies, by Susan K. Lowerre-Barbieri and Luiz R. Barbieri

- 171 Vertical and horizontal movements of adult chinook salmon *Oncorhynchus tshawytscha* in the Columbia River estuary, by Alan F. Olson and Thomas P. Quinn

- 179 Occurrence of *Echeneibothrium* (Platyhelminthes, Cestoda) in the calico scallop *Argopecten gibbus* from North Carolina, by Lynda S. Singhas, Terry L. West, and William G. Ambrose Jr.

91(2)

- 183 A comparison of tests for detecting trends in abundance indices of dolphins, by Alejandro A. Anganuzzi
- 195 A comparison of towed nets, purse seine, and light-aggregation devices for sampling larvae and pelagic juveniles of coral reef fishes, by J. H. Choat, Peter J. Doherty, B. A. Kerrigan, and J. M. Leis
- 210 Identification and distribution of *Urophycis* and *Phycis* (Pisces, Gadidae) larvae and pelagic juveniles in the U.S. Middle Atlantic Bight, by Bruce H. Comyns and George C. Grant
- 224 Maturation, reproductive seasonality, fecundity, and spawning frequency in *Lutjanus vittus* (Quoy and Gaimard) from the North West Shelf of Australia, by Tim L. O. Davis and Grant J. West
- 237 Inferring demographic processes from size-frequency distributions: Effect of pulsed recruitment on simple models, by Thomas A. Ebert, Stephen C. Schroeter, and John D. Dixon
- 244 Ovarian development, fecundity, and spawning frequency of black drum *Pogonias cromis* in Louisiana, by Gary R. Fitzhugh, Bruce A. Thompson, and Theron G. Snider III
- 254 Swimbladder inflation of the Atlantic menhaden *Brevoortia tyrannus*, by Richard B. Forward, Leslie M. McKelvey, William F. Hettler, and Donald E. Hoss

- 91(3)**
- 260 Seasonal variation of reproductive investment of the tropical loliginid squid *Loligo chinensis* and the small tropical sepioid *Idiosepius pygmaeus*, by George D. Jackson
- 271 Estimating von Bertalanffy growth parameters of sablefish *Anoplopoma fimbria* and Pacific cod *Gadus macrocephalus* using tag-recapture data, by Daniel K. Kimura, Allen M. Shimada, and Sandra A. Lowe
- 281 Vertical distribution patterns and diel migrations of larval and juvenile haddock *Melanogrammus aeglefinus* and Atlantic cod *Gadus morhua* on Georges Bank, by R. Gregory Lough and David C. Potter
- 304 Habitat-specific density of adult yelloweye rockfish *Sebastodes ruberrimus* in eastern Gulf of Alaska, by Victoria M. O'Connell and David W. Carlile
- 310 Detection of contaminant and climate effects on spawning success of three pelagic fish stocks off southern California: Northern anchovy *Engraulis mordax*, Pacific sardine *Sardinops sagax*, and chub mackerel *Scomber japonicus*, by Michael H. Prager and Alec D. MacCall
- 328 Length-based analyses of yield and spawning biomass per recruit for black sea bass *Centropristes striata*, a protogynous hermaphrodite, by Gary R. Shepherd and Josef S. Idoine
- 338 Larval distribution patterns: Early signals for the collapse/recovery of Atlantic herring *Clupea harengus* in the Georges Banks area, by Wallace G. Smith and Wallace W. Morse
- 348 Relative abundance of pelagic resources utilized by the California purse-seine fishery: Results of an airborne monitoring program, 1962-90, by James L. Squire Jr.
- 362 Differences in haplotype frequencies of mtDNA of the Spanish sardine *Sardinella aurita* between specimens from the eastern Gulf of Mexico and southern Brazil, by Michael D. Tringali and Raymond R. Wilson Jr.
- 371 Estimated drift gillnet selectivity for albacore *Thunnus alalunga*, by Norman Bartoo and David Holts
- 379 Stage-I zoeae of laboratory-hatched *Lopholithodes mandtii* (Decapoda, Anomura, Lithodidae), by Evan B. Haynes
- 382 Optimal sampling design for using the age-length key to estimate age composition of a fish population, by Han-Lin Lai
- 389 Recruitment of bluefish *Pomatomus saltatrix* to estuaries of the U.S. South Atlantic Bight, by Richard S. McBride, Jeffrey L. Ross, and David O. Conover
- 397 Development of larval and early juvenile pygmy poacher, *Odontopyxis trispinosa*, and blacktip poacher, *Xeneretmus latifrons* (Scorpaeniformes: Agonidae), by Morgan S. Busby and David A. Ambrose
- 414 Modeling the potential of fishery reserves for managing Pacific coral reef fishes, by Edward E. DeMartini
- 428 Allometry of energetics parameters in spotted Dolphin (*Stenella attenuata*) from the eastern tropical Pacific Ocean, by Elizabeth F. Edwards
- 440 Harbor Porpoise, *Phocoena phocoena* (L.), in the coastal waters of northern Japan, by David E. Gaskin, Satoru Yamamoto, and Akito Kawamura
- 455 Use of a monogenean gill parasite and feasibility of condition indices for identifying new recruits to a seamount population of armorhead *Pseudopenaceros wheeleri* (Pentacerotidae), by Robert L. Humphreys Jr., Mark A. Crossler, and Craig M. Rowland
- 484 Variability of zooplankton biomass and dominant species abundance on Georges Bank, 1977-1986, by Joseph Kane
- 475 Spatial structure and temporal continuity of the South Georgian Antarctic fish community, by James E. McKenna Jr.
- 491 Annual prey consumption by harbor seals (*Phoca vitulina*) in the Strait of Georgia, British Columbia, by Peter F. Olesiuk
- 516 Ontogenetic shift in habitat by early juvenile queen conch, *Strombus gigas*: patterns and potential mechanisms, by Veronique J. Sandt and Allan W. Stoner
- 526 Age, growth, maturity, and spawning of Spanish mackerel, *Scomberomorus maculatus* (Mitchill), from the Atlantic Coast of the southeastern United States, by David J. Schmidt, Mark R. Collins, and David M. Wyanski
- 534 A comparison of alternative methods for the estimation of age from length data for Atlantic coast bluefish (*Pomatomus saltatrix*), by Mark Terceiro and Jeffrey L. Ross
- 550 A statistical method for evaluating differences between age-length keys with application to Georges Bank haddock, *Melanogrammus aeglefinus*, by Daniel B. Hayes
- 558 Direct validation of black drum (*Pogonias cromis*) ages determined from scales, by Gary C. Matlock, Robert L. Colura, and Lawrence W. McEachron
- 564 Incorporation of between-haul variation using bootstrapping and nonparametric estimation of selection curves, by Russell B. Millar

- 573 Biological observations from the Cobb Seamount rockfish fishery, by Donald E. Pearson, David A. Douglas, and Bill Barss
- 577 Effects of body size on probability of predation for juvenile summer and winter flounder based on laboratory experiments, by David A. Witting and Kenneth W. Able
- 582 Movements of transplanted lingcod, *Ophiodon elongatus*, determined by ultrasonic telemetry, by Lynne K. Yamanaka and Laura J. Richards
- 91(4)**
- 587 Developmental instability as an indicator of environmental stress in the Pacific hake (*Merluccius productus*), by Consuela L. Alados, Juan Escos, and John M. Emlen
- 594 Analysis of fishery resources: potential risk from sewage sludge dumping at the deepwater dumpsite off New Jersey, by Sukwoo Chang
- 611 Comparison of age at sexual maturity and other reproductive parameters for two stocks of spotted dolphin, *Stenella attenuata*, by Susan J. Chivers and Al C. Myrick Jr.
- 619 PCR-RFLP analysis on thirteen western Atlantic snappers (subfamily Lutjaninae): a simple method for species and stock identification, by Seinen Chow, M. Elizabeth Clarke, and Patrick J. Walsh
- 628 Effects of dolphin group type, percent coverage, and fleet size on estimates of annual dolphin mortality derived from 1987 U.S. tuna-vessel observer data, by Elizabeth F. Edwards and Christina Perrin
- 641 Method and precision in estimation of dolphin school size with vertical aerial photography, by James W. Gilpatrick Jr.
- 649 Determination of age and growth of South Pacific albacore (*Thunnus alalunga*) using three methodologies, by Marc Labelle, John Hampton, Kevin Bailey, Talbot Murray, David A. Fournier, and John R. Sibert
- 664 Reproductive biology of the false southern king crab (*Paralomis granulosa*, Lithodidae) in the Beagle Channel, Argentina, by Gustavo A. Lovrich and Julio H. Vinuesa
- 676 The assumption of constant selectivity and the stock assessment for widow rockfish, *Sebastodes entomelas*, by David B. Sampson
- 690 Genetic analysis of the population structure of yellowfin tuna, *Thunnus albacares*, from the Pacific Ocean, by Daniel R. Scoles and John E. Graves
- 699 Planktonic and benthic feeding by the reef-associated vermilion snapper, *Rhomboplatys aurorubens* (Teleostei, Lutjanidae), by George R. Sedberry and Nicole Cuellar
- 710 Latitudinal variation in the birth timing of captive California sea lions and other captive North Pacific pinnipeds, by Jonathan L. Temte
- 718 Variations on a simple dynamic pool model, by Grant G. Thompson
- 732 Relationships between otolith microstructure, microchemistry, and early life history events in Dover sole, *Microstomus pacificus*, by Christopher L. Toole, Douglas F. Markle, and Phillip M. Harris
- 754 Geographic variation and sexual dimorphism in the skull of the dusky dolphin, *Lagenorhynchus obscurus* (Gray, 1828), by Koen Van Waerebeek
- 775 Estimation of historical population size of the eastern spinner dolphin (*Stenella longirostris orientalis*), by Paul R. Wade
- 788 Spring distribution and abundance of ichthyoplankton in the tidal Delaware River, by Stephen B. Weisberg and William H. Burton
- 798 Effects of entanglement and escape from high-seas driftnets on rates of natural mortality of North Pacific albacore, *Thunnus alalunga*, by Richard W. Brill and David B. Holts
- 804 Weight change of pink shrimp, *Pandalus jordani*, after commercial harvest and handling, by Robert W. Hannah and Neil T. Richmond
- 808 Occurrence and seasonal variations of spiny lobsters, *Panulirus argus* (Latreille), on the shelf outside Bahia de la Ascension, Mexico, by Enrique Lozano-Alvarez, Patricia Briones-Fourzan, and Fernando Negrete-Soto
- 816 Growth and maturation of winter flounder, *Pleuronectes americanus*, in Massachusetts, by David B. Witherell and Jay Burnett

Fishery Bulletin Index

Volume 91 (1-4), 1993

List of Authors

Able, Kenneth W. 577
Alados, Consuela L. 587
Ambrose, David A. 397
Ambrose, William G. Jr. 179
Anganuzzi, Alejandro A. 183

Bailey, Kevin 649
Barbieri, Luiz R. 151, 165
Barss, Bill 573
Bartoo, Norman 371
Brill, Richard W. 798
Briones-Fourzan, Patricia 808
Bruce, Barry D. 76
Burnett, Jay 816
Burton, William H. 788
Busby, Morgan S. 397

Carlile, David W. 304
Chang, Sukwoo 594
Chittenden, Mark E. Jr. 151
Chivers, Susan J. 611
Choat, J. H. 195
Chow, Seinen 619
Clarke, M. Elizabeth 619
Collins, Mark R. 526
Colura, Robert L. 558
Comyns, Bruce H. 210
Conover, David O. 97, 389
Conquest, Loveday L. 107
Crossler, Mark A. 455
Cuellar, Nicole 699

Davis, Tim L. O. 224
Davis, Melinda F. 65
DeMartini, Edward E. 1, 414
Dixon, John D. 237
Doherty, Peter J. 195
Douglas, David A. 573

Ebert, Thomas A. 237
Edwards, Elizabeth F. 428, 628
Ellis, Denise M. 1
Emlen, John M. 587
Escos, Juan 587

Fitzhugh, Gary R. 244
Flores-Coto, César 8
Forward, Richard B. 254
Fournier, David A. 649
Francis, Malcolm P. 159
Fuiman, Lee A. 23

Gaskin, David E. 440
Gilpatrick, James W. Jr. 641
Gitschlag, Gregg 129
Grant, George C. 210
Graves, John E. 690

Haldorson, Lewis 36
Hampton, John 649
Hannah, Robert W. 804
Harris, Phillip M. 732
Hayes, Daniel B. 550
Haynes, Evan B. 379
Hettler, William F. 254
Holts, David 371
Holts, David B. 798
Honda, Victor A. 1
Hoss, Donald E. 254
Hostetter, E. Brian 45
Humphreys, Robert L. Jr. 455

Idoine, Josef S. 328

Jackson, George D. 260
Jearld, Ambrose Jr. 65
Jones, Cynthia M. 151
Jordan, Alan R. 76

Kane, Joseph 464
Kawamura, Akito 440
Kerrigan, B. A. 195
Kimura, Daniel K. 271
Klima, Edward 129
Kohler, Nancy E. 138
Koi, Dennis 129
Krieger, Kenneth J. 87

Labelle, Marc 649
Lai, Han-Lin 382
Leis, J. M. 195
Lough, R. Gregory 281
Lovrich, Gustavo A. 664
Lowe, Sandra A. 271
Lowerre-Barbieri, Susan K. 165
Lozano-Alvarez, Enrique 808

MacCall, Alec D. 310
Markle, Douglas F. 732
Marks, Rick E. 97
Matlock, Gary C. 558
McBride, Richard S. 389
McConaughey, Robert A. 107
McEachron, Lawrence W. 558
McKelvey, Leslie M. 254
McKenna, James E. Jr. 475
Millar, Russell B. 564
Morse, Wallace W. 338
Munroe, Thomas A. 45
Murray, Talbot 649
Myrick, Al C. Jr. 611

Nance, James 129
Negrete-Soto, Fernando 808

O'Connell, Victoria M. 304

Olesiuk, Peter F. 491
Olson, Alan F. 171
Ottey, David R. 23

Pearson, Donald E. 573
Perrin, Christina 628
Pollard, Susan 159
Potter, David C. 281
Powell, Allyn B. 119
Prager, Michael H. 310
Pritchett, Marc 36
Pryce, Andrea C. 159

Quinn, Thomas P. 171

Renaud, Maurice 129
Richards, Laura J. 582
Richmond, Neil T. 804
Ross, Jeffrey L. 389, 534
Rowland, Craig M. 455

Sampson, David B. 676
Sandt, Veronique J. 516
Sass, Sherry L. 65
Schmidt, David J. 526
Schroeter, Stephen C. 237
Scoles, Daniel R. 690
Scott, Stephen G. 159
Sedberry, George R. 699
Shah, Arvind 129
Shepherd, Gary R. 328
Shimada, Allen M. 271
Sibert, John R. 649
Singhas, Lynda S. 179
Smith, Wallace G. 338
Snider, Theron G. III 244
Squire, James L. Jr. 348
Sterritt, David 36
Stillwell, Charles E. 138
Stoner, Allan W. 516

Temte, Jonathan L. 710
Terceiro, Mark 534
Thompson, Bruce A. 244
Thompson, Grant G. 718
Toole, Christopher L. 732
Tringali, Michael D. 362

Van Waerebeek, Koen 754
Vinuesa, Julio H. 664

Wade, Paul R. 775
Walsh, Patrick J. 619
Warlen, Stanley M. 8
Watts, John 36
Weisberg, Stephen B. 788
West, Grant J. 224
West, Terry L. 179
Williams, Maryann W. 159
Wilson, Raymond R. Jr. 362
Witherell, David B. 816
Witting, David A. 577
Wyanski, David M. 526

Yamamoto, Satoru 440
Yamanaka, Lynne K. 582

Fishery Bulletin Index

Volume 91 (1-4), 1993

List of Subjects

Abundance—see also Population studies

anchovy, northern 310, 348
bonito, Pacific 348
crab, Dungeness 107
dolphin
 eastern spinner 775
 eastern tropical Pacific 183, 775,
 641
fisheries stocks 594
flounder, summer 594
goosefish 594
hake
 red 594
 silver 594
herring, Atlantic 338
ichthyoplankton, Delaware River 788
juvenile reef fish 195
killer whale, pygmy 641
larvae
 gadids 210
 hakes, Atlantic 210
 marine fish 36
 reef fish 195

lobster, Caribbean spiny 808

mackerel
 chub 310, 348
 jack 348

pilot whale 641

rockfish 87

 widow 573

 yelloweye 304

sardine, Pacific 310, 348

sea bass, black 594

sewage outfall and fishes 594

spatio-temporal differences in fish
 populations 594

tuna, bluefin 348

zooplankton, Georges Bank 464

Aerial survey

anchovy, northern 348

bonito, Pacific 348

mackerel

 chub 348

 jack 348

sardine, Pacific 348

tuna, bluefin 348

Africa, Southwest 754

Age at sexual maturity

 dolphin, spotted 611

Age composition of catches 382

Age determination

 age-length keys

 bluefish 534

 haddock 550

 albacore 649

 bluefish 534

 drum, black 558

Age determination (continued)

 flounder, winter 816
 haddock 550
 mackerel, Spanish 526
 porpoise, harbor 440
 otoliths
 mackerel, Spanish 526
 Pagrus auratus 159
 rockfish, widow 573
 spot 8
 tautog 45
 Pagrus auratus 159
 rockfish, widow 573
 spot 8
 statoliths, squid
 Idiosepius pygmaeus 260
 Loligo chinensis 260
 tautog 45
 vertebrae, albacore 649

Age-length key 382

 bluefish 534
 haddock 550
Age-size estimation
 albacore 649
 bluefish 534
 flounder, winter 816
 haddock 550
 mackerel, Spanish 526
 Pagrus auratus 159
 spot 8

Age validation

 drum, black 558
Agonidae—see Poacher
Alaska, southeastern
 marine fish larvae 36
 rockfish, yelloweye 304
Albacore 371, 649, 798
Anchovy, northern 310, 348
Antarctic fish communities 475
Argentina
 crab, false southern king 664
Argopecten gibbus—see Scallop, calico
Armorhead, pelagic 455
Atlantic Bight, south
 bluefish 389
Atlantic Ocean
 bluefish 389, 534
 crab, false southern king 664
 dumpsite, 106-mile deepwater 594
 flounder, summer 594
 goosefish 594
 haddock 550
 hake
 red 594
 silver 594
 mackerel, Spanish 526
 sardine, Spanish 362

Atlantic Ocean (continued)

Sardinella aurita 362
 Sardinella brasiliensis 362
 sea bass, black 594
 snappers 619, 699
 zooplankton, Georges Bank 464

Australia

 Great Barrier Reef 195
 Lutjanus vittus 224
 roughy 76

Behavior

 burrowing
 conch, queen 516
 diel migration, cods 281
 drum, red 23
 flounder, winter 65
Bahama Islands
 conch, queen 516
Bertalanffy growth 237, 271, 534, 649,
 718
 albacore 649
 bluefish 534
 cod, Pacific 271
 flounder, winter 816
 sablefish 271
 sea urchin
 purple 237
 red 237

Beverton-Holt recruitment 718

Biological indices

 age at sexual maturity 611
 parasites in pelagic armorhead 455

Biological rhythm

 menhaden, Atlantic 254

Birth timing

 seal
 harbor 710
 northern fur 710

 sea lion
 California 710
 northern 710

Bluefish 97, 389, 534

Bonito, Pacific 348

Bothidae—see Flounder, summer

Brazil

 sardine, Spanish 362
 Sardinella aurita 362
 Sardinella brasiliensis 362

Brevoortia patronus—see Menhaden,
 gulf

Brevoortia tyrannus—see Menhaden,
 Atlantic

California

 Bight, southern
 anchovy, northern 310
 mackerel, chub 310
 sardine, Pacific 310

 purse-seine fishery

 anchovy, northern 348
 bonito, Pacific 348
 mackerel

 chub 348

 jack 348

 sardine, Pacific 348

- California
 purse seine fishery (continued)
 tuna, bluefin 348
 southern
 sewage outfall and fish
 abundance 594
Callorhinus ursinus—see Seal, northern fur
 Canada, British Columbia
 seal, harbor 491
Cancer magister—see Crab, Dungeness
Cancridae—see Crab, Dungeness
 Captive breeding
 seal
 harbor 710
 northern fur 710
 sea lion
 California 710
 northern 710
Carangidae—see Mackerel, jack
 Caribbean
 conch, queen 516
 lobster, Caribbean spiny 808
 Catch-at-age estimation 382
 bluefish 534
 haddock 550
 rockfish, widow 676
 Catch estimation—see also Population studies
 albacore 371
 crab, Dungeness 107
 scallop, Iceland 564
 shrimp
 pink 804
 ocean 804
 Catch-per-unit-effort
 anchovy, northern 348
 bonito, Pacific 348
 flounder, summer 594
 goosefish 594
 hake
 red 594
 silver 594
 mackerel
 chub 348
 jack 348
 sardine, Pacific 348
 sea bass, black 594
 tuna, bluefin 348
 Catch rates
 turtle excluder devices 129
Centropristes striata—see Sea bass, black
Cestoda—see *Echeneibothrium*
 Cetaceans—see also Dolphin; Pilot whale; Killer whale, pygmy
 energetics 428
 porpoise, harbor 440
 school size 641
Chlamys islandica—see Scallop, Iceland
 Chesapeake Bay
 mackerel, Spanish 151
 Chile
 dolphin, dusky 754
 Classification—see Taxonomy
 Climate effects 310
 anchovy, northern 310
 Climate effects (continued)
 mackerel, chub 310
 sardine, Pacific 310
Clupea harengus—see Herring, Atlantic
Clupeidae—see Herring; Menhaden, Atlantic; Menhaden, gulf; Sardine, Pacific; Sardine, Spanish; *Sardinella*
 Cod
 Atlantic 281
 hake
 red 594
 Pacific 587
 silver 594
 Pacific 271
 Columbia River estuary 171
 Community structure
 fish, Antarctic 475
 Conch, queen 516
 Contaminant effects 310
 anchovy, northern 310
 mackerel, chub 310
 sardine, Pacific 310
 Coral reef fishes 414
 Crab
 Dungeness 107
 false southern king 664
 lithodid 379, 664
 Lopholithodes mandtii 379
Crangonidae—see Shrimp, brown
Crangon crangon—see Shrimp, brown
Cynoscion regalis—see Weakfish
 Delaware River
 ichthyoplankton 788
Delphinidae—see Dolphin
Delphinus delphis—see Dolphin, common
 Density
 dependence 611
 reef fishes, larval and juvenile 195
 rockfish 87
 yelloweye 304
 Depth distribution
 Atlantic cod 281
 haddock 281
 rockfish, yelloweye 304
 salmon, chinook 171
 zooplankton, Georges Bank 464
 Development
 hake, Pacific 587
 poacher
 blacktip 397
 pygmy 397
 Developmental instability
 El Niño effects 587
 hake, Pacific 587
 Diet
 bluefish, young of the year 97
 Distribution
 cod, Atlantic 281
 cods 210, 281
 conch, queen 516
 haddock 281
 hakes, Atlantic 210
 herring, Atlantic 338
 ichthyoplankton, Delaware River 788
 Distribution (continued)
 mackerel, Spanish 151
 poacher
 blacktip 397
 pygmy 397
 porpoise, harbor 440
 rockfish 87, 573
 harlequin 573
 rosy 573
 yelloweye 304
 widow 573
 salmon, chinook 171
 zooplankton, Georges Bank 464
 Dolphin
 bottlenose 641
 common 183, 628, 641
 dusky 754
 eastern tropical Pacific spp. 183, 628, 641
 gray grampus 641
 killer whale, pygmy 641
 little blackfish 641
 melonheaded whale 641
 pilot whale 641
 roughtoothed 641
 spinner 641
 eastern 183
 pantropical 183
 whitebelly 183, 628
 spotted 183, 428, 611, 628, 641
 striped 641
 Dredges
 size selectivity for Iceland scallop 564
 Driftnets 371, 788
 Drum
 black 244, 558
 red 23
 Dumping
 ocean 594
 sewage sludge 594
 Dumpsite
 106-mile deepwater 594
 Early-life-history studies
 bluefish 97
 cod, Atlantic 281
 cods 210
 drum, red 23
 flounder
 summer 577
 winter 65, 577
 haddock 281
 hakes, Atlantic 210
 menhaden, Atlantic 107
 menhaden, gulf 107
 sole, Dover 732
 spot 8
Echeneibothrium 179
 Egg studies
 lobster, spiny 1
 menhaden, Atlantic 107
 menhaden, gulf 107
 weakfish 165
 Embryos—see Larval studies
 Energetics
 seal, harbor 491

- Engraulidae—see Anchovy
Engraulis mordax—see Anchovy, northern
 Environmental effects 310
 anchovy, northern 310
 mackerel, chub 310
 sardine, Pacific 310
 Estuarine fishes
 bluefish, young of year 389
 salmon, chinook 171
Eumetopias jubatus—see Sea lion, northern
- Fecundity
 crab, false southern king 664
 drum, black 244
 lobster, spiny 1
Lutjanus viittus 224
 mackerel, Spanish 526
 menhaden, Atlantic 107
 menhaden, gulf 107
 weakfish 165
 Feeding—see Food habits
Feresa attenuata—see Killer whale, pygmy 641
 Fishery
 albacore 371
 Cobb Seamount 573
 coral reef fishes 414
 gillnet, drift 371
 lobster, spiny 1
 mackerel, Spanish 151
 scallop, calico 179
 shrimp 129
 ocean 804
 pink 804
 Fishery interactions
 tuna-dolphin 628, 775
 Fishery management
 aggregate size limit 804
 shrimp
 ocean 804
 pink 804
 coral reef fishes 414
 models 718
 shrimp
 ocean 804
 pink 804
 Fishery reserves
 coral reef fishes 414
 lobster, spiny 1
 Fishes, coral reef 1
 Flatfish 65, 577, 594, 732, 816
 Florida
 sardine, Spanish 362
 Sardinella aurita 362
 Sardinella brasiliensis 362
 Flounder
 summer 577, 594
 winter 65, 577, 816
 Fluctuating asymmetry
 hake, Pacific 587
 Food habits
 bluefish 97
 drum, red 23
- Food habits (continued)
 larvae, red drum 23
 porpoise, harbor 440
 seal, harbor 491
 snapper, vermillion 699
- Gadidae—see Cod; Haddock; Hake
Gadus macrocephalus—see Cod, Pacific
Gadus morhua—see Cod, Atlantic
 Genetic studies
 sardine, Spanish 362
 Sardinella aurita 362
 Sardinella brasiliensis 362
 snappers 619
 species identification, snappers 619
 stock identification, snappers 619
 tuna, yellowfin 690
- Geographic variation
 dolphin, dusky 754
 sardine, Spanish 362
Sardinella aurita 362
Sardinella brasiliensis 362
- Georges Bank
 cod, Atlantic 281
 haddock 281
 herring, Atlantic 328
- Gillnet, drift
 albacore 371, 798
 selectivity 371
- Globicephala macrorhynchus*—see Pilot whale
 Goosefish 594
Grampus griseus—see Dolphin, gray grampus
- Growth—see also Age-size estimation
 albacore 649
 bluefish 534
 cod, Pacific 271
 conch, queen 516
 flounder, winter 816
Pagrus auratus 159
 porpoise, harbor 440
 sablefish 271
 sea urchin
 purple 237
 red 237
 sole, Dover 732
 spot 8
 squid, gonads 260
 tautog 45
- Growth increment analysis
 cod, Pacific 271
 sablefish 271
- Gulf of Alaska
 rockfish 87
 yelloweye 304
- Gulf of Mexico
 drum, black 244, 558
 sardine, Spanish 362
Sardinella aurita 362
Sardinella brasiliensis 362
- Gulf of Mexico fishery
 sardine, Spanish 362
Sardinella aurita 362
Sardinella brasiliensis 362
- Habitat
 conch, queen 516
 rockfish 87
 yelloweye 304
- Haddock 281, 550
- Hake
 Carolina 210
 gulf 210
 longfin 210
 Pacific 587
 red 210, 594
 silver 594
 southern 210
 spotted 210
 white 210
- Haddock 281
- Hakes, Atlantic 210
- Harvest refugia
 coral reef fishes 414
 lobster, spiny 1
- Hawaiian Islands fishery
 lobster, spiny 1
- Hermaphroditism
 sea bass, black 328
- Herring, Atlantic 338
- Hexagrammidae—see Lingcod
- Ichthyoplankton 195, 281, 788
- Identification
 dolphin, dusky 754
 poacher
 blacktip 397
 pygmy 397
 snappers, stock and genetic 619
- Impact assessments
 ocean dumping 594
- Japan
 porpoise, harbor 440
- Juvenile studies
 bluefish 97, 389
 cod, Atlantic 281
 cods 210
 drum, red 23
 flounder
 summer 577
 winter 577
 haddock 281
 hakes, Atlantic 210
 poacher
 blacktip 397
 pygmy 397
 reef fish 195
 sole, Dover 732
 spot 8
- Killer whale, pygmy 641
- Labridae—see Tautog
Lagenorhynchus obscurus—see Dolphin, dusky
- Larval studies
 bluefish 97
 cod, Atlantic 281
 cods 210

- Larval studies (continued)
 crab, *Lopholithodes mandtii* 379
 drum, red 23
 haddock 281
 hakes, Atlantic 210
 herring, Atlantic 338
 menhaden, Atlantic 254
 poacher
 blacktip 397
 pygmy 397
 reef fish 195
 roughy 76
 sole, Dover 732
 spot 8
 survey, Delaware River 788
 swimbladder inflation 254
- Latitudinal variation
 birth timing in pinnipeds 710
- Leiostomus xanthurus*—see Spot
- Length-based sampling 382
- Length frequency analysis
 albacore 649
 bluefish 534
 haddock 550
 lobster, Caribbean spiny 808
- Length studies—see Age-size estimation
- Life history
 cod, Atlantic 281
 haddock 281
 sole, Dover 732
- Light
 swimbladder inflation, effects on 254
- Light traps 195
- Lingcod 582
- Lithodidae—see Crab, false southern king; *Lopholithodes mandtii*
- Lobster
 Caribbean spiny 808
 spiny 1
- Lophiidae—see Goosefish
- Lophius americanus*—see Goosefish
- Louisiana
 drum, black 244
- Lutjanidae—see *Lutjanus vittus*
- Lutjanus*—see Snapper
 analis—see Snapper, mutton 619
 apodus—see Schoolmaster 619
 buccanella—see Snapper, blackfin 619
 campechanus—see Snapper, red 619
 cyanopterus—see Snapper, cubera 619
 griseus—see Snapper, gray 619
 jocu—see Snapper, dog 619
 mahogoni—see Snapper, mahogany 619
 synagris—see Snapper, lane 619
 vivanus—see Snapper, silk 619
 vittus 224
- Mackerel
 chub 310, 348
 jack 348
 Spanish 151, 526
- Management—see Fishery management
- Mathematical methods
 abundance estimation 107, 183
 age-length key comparison 550
 ANOVA, repeated measures 641
- Mathematical methods (continued)
 lognormal theory
 central tendency 107
 nonparametric
 isotonic regression 564
 size selectivity in dredges 564
 simulations 183
 trend analysis 107, 183
- Maximum sustainable yield
 simple dynamic pool 718
- Melonheaded whale 641
- Melanogrammus aeglefinis*—see Haddock
- Menhaden
 Atlantic 119, 254
 gulf 119
- Merlucciidae—see Hake
- Merluccius bilinearis*—see Hake, silver
- Merluccius productus*—see Hake, Pacific
- Metamorphosis
 sole, Dover 732
- Methods
 age-length key 382, 534, 550
 density estimation, rockfishes 304
 growth increment analysis 271
 ichthyoplankton sampling 195
 length-based 649
 length-frequency analysis 534, 550
 albacore 649
 bluefish 534
 haddock 550
 oocyte separation and preservation,
 weakfish 165
 photography of dolphin schools 641
 stock assessment 676
- Microchemistry
 sole, Dover 732
- Microctyle macropharynx* 455
- Microstomus pacificus*—see Sole, Dover
- Microstructure 732
- Mid-Atlantic Bight
 bluefish 97
 cods 210
 hakes 210
- Migration—see Movements
- Mitochondrial analysis
 DNA
 sardine, Spanish 362
 Sardinella aurita 362
 Sardinella brasiliensis 362
 tuna, yellowfin 690
 RNA
 snappers, Atlantic 619
- Models
 distributed delay
 sea bass, black 328
 dynamic pool 718
 population 310
 anchovy, northern 310
 mackerel, chub 310
 sardine, Pacific 310
 recruitment 310
 anchovy, northern 310
 fishes, marine 310
 mackerel, chub 310
 sardine, Pacific 310
- Models (continued)
 simple dynamic pool 718
 yield-per-recruit
 coral reef fishes 414
- Monogenea—see *Microcotyle macropharynx*
- Morphology
 bluefish jaws 97
 cranial variations, dusky dolphin 754
 cods 210
 crab
 lithodid, larvae 379
 Lopholithodes mandtii 379
 hakes, Atlantic 210
 otolith 159
 poacher
 blacktip 397
 pygmy 397
 roughy larvae 76
- Morphometrics
 dolphin, spotted 428
- Mortality
 albacore 798
 dolphin
 common 628
 eastern tropical Pacific species 628
 spinner, whitebelly 628
 spotted 628
 flounder
 summer 577
 winter 577, 816
- sea urchin
 purple 237
 red 237
- Movements
 cod, Atlantic 281
 conch, queen 516
 haddock 281
 lingcod 582
 porpoise, harbor 440
 salmon, chinook 171
- New Zealand
Pagrus auratus 159
- New York Bight
 ocean dumping 594
- Nonparametric methods
 isotonic regression 564
- Ocean dumping 594
- Ocyurus chrysurus*—see Snapper, yellowtail
- Odontopyxis trispinosa*—see Poacher, pygmy
- Oncorhynchus tshawytscha*—see Salmon, chinook
- Ophiodon elongatus*—see Lingcod
- Osteology
 poacher
 blacktip 397
 pygmy 397
- Otoliths
 ageing, rockfish, widow 573
 flounder, winter 65
 growth 159
 mackerel, Spanish 526

- Otoliths (continued)
- microchemistry 732
 - microstructure 732
 - morphology 159
 - rockfish, widow 573
 - size 159
 - sole, Dover 732
- Pacific Ocean
- albacore 371, 649, 798
 - anchovy, northern 310, 348
 - armorhead, pelagic 455
 - bonito, Pacific 348
 - coral reef fishes 414
 - crab, false southern king 664
 - dolphin abundance 183
 - dolphin 641
 - bottlenose 641
 - common 183, 641
 - gray grampus 641
 - melonheaded whale 641
 - roughtoothed 641
 - spinner 183, 641
 - spotted 183, 428, 641
 - striped 641
 - gillnet, drift 371
 - lobster, spiny 1
 - mackerel
 - chub 310, 348
 - jack 348
 - porpoise, harbor 440
 - rockfish 87
 - roughy 76
 - sardine, Pacific 310
 - seamount 455, 573
 - Cobb 573
 - tuna
 - bluefin 348
 - yellowfin 690
- Pacific Ocean, eastern tropical
- dolphin abundance 775
 - dolphin 183, 611, 628, 641, 775
 - bottlenose 641
 - common 183, 641
 - spinner 183, 641
 - spotted 183, 611, 641
 - striped 641
 - Pagrus auratus* 159
 - Pandalidae—see Shrimp
 - Pandalus jordani*—see Shrimp, ocean; Shrimp, pink
 - Panuliridae—see Lobster, spiny
 - Panulirus argus*—see Lobster, Caribbean spiny
 - Panulirus marginatus*—see Lobster, spiny
 - Paralichthys dentatus—see Flounder, summer
 - Paralichthys lethostigma—see Flounder, southern
 - Paralomis granulosa—see Crab, false southern king
 - Parasites—see *Echeneibothrium*; *Microcotyle macropharynx*
 - Parasitism
 - armorhead, pelagic 455
 - scallop, calico 179
- Pectinidae—see Scallop
- Penaeus duorarum*—see Shrimp, pink
- Pentacerotidae—see Armorhead, pelagic
- Peponocephala electra*—see Melonheaded whale
- Phoca vitulina*—see Seal, harbor
- Phocoena phocoena*—see Porpoise, harbor
- Phocoenidae—see Porpoise, harbor
- Photography
- dolphin school size 641
- Photoperiod effects
- seal
 - harbor 710
 - northern fur 710
 - sea lion
 - California 710
 - northern 710
- Phycis chesteri*—see Hake, longfin
- Pinnipedia—see Sea lion; Seal
- Pleuronectes americanus*—see Flounder, winter
- Pleuronectidae—see Flounder; Sole, Dover
- Poacher
- blacktip 397
 - pygmy 397
- Pogonias cromis*—see Drum, black
- Pollution
- effects on spawning success 310
 - ocean dumping 594
- Pomatomidae—see Bluefish
- Pomatomus saltatrix*—see Bluefish
- Population dynamics
- albacore 371
- Population studies
- anchovy, northern 310
 - armorhead, pelagic 455
 - dolphin, eastern spinner 775
 - fishes, Antarctic 475
 - genetic structure 619, 690
 - herring, Atlantic 338
 - lobster, Caribbean spiny 808
 - mackerel, chub 310
 - porpoise, harbor 440
 - sardine, Pacific 310
 - sea urchin
 - purple 237
 - red 237
 - tuna, yellowfin 690
 - zooplankton, Georges Bank 464
- Porpoise
- harbor 440
- Predation—see also Mortality
- flounder
 - summer 577
 - winter 577
 - Pseudopentaceros wheeleri*—see Armorhead, pelagic
 - Pseudopleuronectes americanus*—see Flounder, winter
- Purse seine 195
- Recruitment 237
- anchovy, northern 310
 - armorhead, pelagic 455
- Recruitment (continued)
- bluefish 389
 - mackerel, chub 310
 - sardine, Pacific 310
 - sea urchin
 - purple 237
 - red 237
 - spot 8
- Reef fishes
- larvae and juveniles 195
- Reproduction
- spot 8
- Reproductive biology
- crab, false southern king 664
 - dauphin, spotted 611
 - drum, black 244
 - flounder, winter 816
 - lobster, spiny 1
 - Lutjanus vittus* 224
 - mackerel, Spanish 526
 - porpoise, harbor 440
 - seal
 - harbor 710
 - northern fur 710
 - sea lion
 - California 710
 - northern 710
 - spot 8
 - squid
 - Idiosepius pygmaeus* 260
 - Loligo chinensis* 260
 - weakfish 165
- Rhomboptilus aurorubens*—see Snapper, vermillion
- Rockfish 87, 573
- harlequin 573
 - rosy 573
 - widow 573, 676
 - yelloweye 304
- Salmon
- chinook 171
- Salmonidae—see Salmon, chinook
- Sampling design
- age-length key 382
- Sarda chiliensis*—see Bonito, Pacific
- Sardine
- Pacific 310, 348
 - Sardinella aurita* 362
 - Sardinella brasiliensis* 362
 - Spanish 362
 - Sardinella aurita* 362
 - Sardinella brasiliensis* 362
 - Sardinops sagax*—see Sardine, Pacific
- Scales, ageing
- drum, black 558
- Scallop
- calico 179
 - Iceland 564
- Schoolmaster 619
- School size, dolphin 641
- Sciaenidae—see Drum; Spot; Weakfish
- Sciaenops ocellatus*—see Drum, red
- Scomber japonicus*—see Mackerel, chub
- Scomberomorus maculatus*—see Mackerel, Spanish

- Scombridae**—see Albacore; Bonito;
Mackerel
- Scorpaenidae**—see Rockfish
- Sea bass, black 328, 594
- Seagrass
conch, queen 516
- Seal
harbor 491, 710
northern fur 710
- Sea lion
California 710
northern 710
Steller—see northern
- Seamounts
armorhead, pelagic 455
- Seasonal studies
lobster, Caribbean spiny 808
squid
Idiosepius pygmaeus 260
Loligo chinensis 260
- Sea urchin
purple 237
red 237
- Sebastes**—see Rockfish
- Sebastes entomelas**—see Rockfish, widow
- Sebastes rosaceus**—see Rockfish, rosy
- Sebastes ruberrimus**—see Rockfish,
yelloweye
- Sebastes variegatus**—see Rockfish,
harlequin
- Selectivity 676
rockfish, widow 676
- Sepioidea**—see Squid
- Serranidae**—see Sea bass, black
- Sexual dimorphism, dolphin, dusky 754
- Sexual maturity—see Reproductive
Biology
- Shrimp 129
brown 577
ocean 804
pink 804
- Size estimation—see Age-size estimation
- Size limits, aggregate 804
- Size-selectivity
dredges, Iceland scallops 564
incorporating between-haul
variation 564
- Snapper
Atlantic species 619
blackfin 619
cubera 619
dog 619
gray 619
lane 619
mahogany 619
mutton 619
red 619
schoolmaster 619
silk 619
vermillion 619, 699
yellowtail 619
- Sole, Dover 732
- Sparidae**—see *Pagrus auratus*
- Spatial closures
coral reef fishes 414
lobster, spiny 1
- Spawning—see also Reproductive
Biology
anchovy, northern 310
fishes, marine 310
mackerel, chub 310
sardine, Pacific 310
- Spawning biomass
herring, Atlantic 338
sea bass, black 328
- Spot
growth 8
reproduction 8
spawning time 8
- Stenella attenuata**—see Dolphin, spotted
- Stenella longirostris**—see Dolphin,
spinner
- Stenella longirostris longirostris**—see
Dolphin, pantropical spinner or
Dolphin, whitebelly spinner
- Stenella longirostris orientalis**—see
Dolphin, eastern spinner or
Dolphin, whitebelly spinner
- Steno bredanensis**—see Dolphin,
roughtoothed
- Stock assessment
dolphin, eastern spinner 775
rockfish, widow 676
- Stock identification
sardine, Spanish 362
Sardinella aurita 362
Sardinella brasiliensis 362
snappers, Atlantic 619
- Stress
developmental instability in
Pacific hake 587
El Niño effects 587
fluctuating asymmetry in
Pacific hake 587
- Strombidae**—see Conch, queen
- Strombus gigas**—see Conch, queen
- Strongylocentridae**—see Sea urchin
- Strongylocentrotus franciscanus**—see
Sea urchin, red
- Strongylocentrotus purpuratus**—see Sea
urchin, purple
- Submersible surveys
rockfish 87
yelloweye 304
- Survey, aerial
anchovy, northern 348
bonito, Pacific 348
mackerel
chub 348
jack 348
sardine, Pacific 348
tuna, bluefin 348
- Survival—see Mortality
- Swimbladder inflation 254
- Tagging studies
albacore 649
cod, Pacific 271
effect on annulus formation 558
lingcod 582
recapture data analysis 271
reporting rate, sablefish 271
ultrasonic telemetry, lingcod 582
- Tautog 45
- Tautoga onitis**—see Tautog
- Taxonomy
Aulotrachichthys sp. 76
dolphin, dusky 754
Hoplostethus atlanticus 76
Optivus sp. 76
Paratrachichthys sp. 76
sardine, Spanish 362
Sardinella aurita 362
Sardinella brasiliensis 362
Trachichthyidae 76
- Temperature
distribution
Atlantic cod 210
hakes, Atlantic 210
Spanish mackerel 151
zooplankton, Georges Bank 464
- effects
drum, red 23
- Thunnus alalunga**—see Albacore
- Thunnus albacares**—see Tuna, yellowfin
- Thunnus thynnus**—see Tuna, bluefin
- Towed nets 195
- Trachichthyidae 76
- Trachurus symmetricus**—see Mackerel,
jack
- Tracking, ultrasonic 171
- Transplant, lingcod 582
- Tuna
albacore 371, 798
bluefin 348
bonito, Pacific 348
mackerel, chub 348
yellowfin 690
- Tursiops truncatus**—see Dolphin,
bottlenose
- Turtles, sea 129
- Turtle Excluder Device 129
- Trawling Efficiency Device 129
- Ultrasonic telemetry, lingcod 582
- Urophycis chesteri**—see Hake, longfin
- Urophycis chuss**—see Hake, red
- Urophycis cirrata**—see Hake, gulf
- Urophycis earlli**—see Hake, Carolina
- Urophycis floridiana**—see Hake,
southern
- Urophycis regia**—see Hake, spotted
- Urophycis tenuis**—see Hake, white
- Vertebrae
albacore 694
- Virginia
mackerel, Spanish 151
tautog 45
- Weakfish 165
- Yield per recruit
sea bass, black 328
- Zalophus californianus**—see Sea lion,
California
- Zooplankton, Georges Bank 464